

**UPPER CIRCUIT INCLUDING
CRUIKSHANK LOOKOUT**

The circuit track is mostly in closed forest with an understorey of either tall shrubs or ferns.

FERNS

Asplenium bulbiferum subsp. *gracillimum*
Asplenium flabellifolium
Blechnum watsii
Calochlaena dubia
Dicksonia antarctica
Grammitis billardierei
Histiopteris incisa
Hymenophyllum rarum
Microsorium pustulatum subsp. *pustulatum*
Polystichum proliferum
Pteridium esculentum
Pteris tremula
Rumohra adiantiformis
Sticherus sp.

MONOCOTYLEDONS

Caladenia cracens
Carex appressa
Chiloglottis gunnii
Dianella tasmanica
Drymophila cyanocarpa
Gahnia grandis
Poa sp.
Pterostylis melagramma
Pterostylis nutans

DICOTYLEDONS

Acacia dealbata
Acacia melanoxylon
Acacia mucronata subsp. *mucronata*
Acaena novae-zelandiae
Amperea xiphoclada
Aristotelia peduncularis e
Atherosperma moschatum subsp. *moschatum*
Banksia marginata
Billardiera macrantha
Cassinia aculeata
Cenarrhenes nitida e
Clematis aristata
Coprosma quadrifida

Coprosma hirtella
Epacris impressa
Eucalyptus amygdalina e
Eucalyptus obliqua
Eucalyptus ovata var. *ovata*
Eucryphia lucida e
Eucalyptus viminalis
Gaultheria hispida
Hibbertia procumbens
Hydrocotyle sp.
Leptecophylla juniperina subsp. *juniperina*
Leptospermum lanigerum
Leptospermum scoparium
Leucopogon ericoides
Melaleuca pallida
Muehlenbeckia gunnii
Monotoca glauca
Nematolepis squamea subsp. *squamea*
Notelaea ligustrina
Nothofagus cunninghamii
Olearia argophylla
Olearia lirata
Olearia phlogopappa
Onopordum acanthium i
Oxalis corniculata i
Oxylobium ellipticum
Ozothamnus thyrsoides
Pimelea drupacea
Pimelea ligustrina
Pimelea linifolia
Pittosporum bicolor
Pomaderris apetala subsp. *apetala*
Prostanthera lasianthos var. *lasianthos*
Pultenaea juniperina
Rubus blackberry complex i
Rubus parvifolius
Senecio linearifolius
Stellaria pungens
Stylidium graminifolium
Tasmannia lanceolata
Urtica incisa
Zieria arborescens subsp. *arborescens*

APST Inc.

LOWER TRACK TO CANYON FLOOR

– from car park to Leven Splits bridge

The track descends through farmland and open forest dominated by *Eucalyptus viminalis*, white gum, with occasional *Eucalyptus obliqua* and *Acacia melanoxylon*.

- from Leven Splits Bridge to Canyon floor

Most of this section is in closed forest with a fern understorey. Some notable mosses are *Sphagnum cristatum*, sphagnum moss and dangling skeins of ‘Spanish moss’, possibly *Papillaria* sp.

FERNS and FERN ALLIES

Asplenium bulbiferum subsp. *gracillimum*

Asplenium flabellifolium

Blechnum nudum

Dicksonia antarctica

Histiopteris incisa

Huperzia varia

Hymenophyllum flabellatum

Hymenophyllum rarum

Microsorium pustulatum subsp. *pustulatum*

Pellaea falcata

Polystichum proliferum

Rumohra adiantiformis

MONOCOTYLEDONS

Dianella tasmanica

LEVEN CANYON SPECIES LIST

Poa sp.

Pterostylis melagramma

DICOTYLEDONS

Acacia melanoxylon

Acacia mucronata subsp. *mucronata*

Atherosperma moschatum subsp. *moschatum*

Coprosma quadrifida

Epacris impressa

Eucalyptus viminalis

Eucryphia lucida

e

Gonocarpus teucroides

Helichrysum luteoalbum

Leptecophylla juniperina subsp. *juniperina*

Melaleuca pallida

Monotoca glauca

Muehlenbeckia gunnii

Nematolepis squamea subsp. *squamea*

Nothofagus cunninghamii

Olearia argophylla

Olearia phlogopappa

Pimelea drupacea

Pomaderris apetala subsp. *apetala*

Prostanthera lasianthos var. *lasianthos*

Ranunculus sp.

Stellaria pungens

Urtica incisa

Viola sieberiana

APST NW Group, Burnie Field Naturalists Club, Dick Burns