Dí-		PLANT LIST			
and Plants Spill		Ben Lomond - Alpine			
		Created	23-Oct-22		
		Updated	23-May-23		
13M		Ву	Roy Skabo		
asmania Inc		Goto Photos			
Scientific name	status	Common Name	Description		
Abrotanella forsteroides	е	tasmanian cushionplant	hard, bright green cushion plant; tiny white flowers protrude		
<u>Acaena montana</u>	е	mountain buzzy	prostrate herb; spherical flower/seed heads with hooks		
<u>Acrothamnus hookeri</u>		mountain beardheath	shrub to 60 cm; leaves blunt,to 10mm; white flowers hairy inside		
Acrothamnus montanus		snow beardheath	shrub to 60m; blunt leaves to 10mm; white flowers hairless inside		
<u>Argyrotegium mackayi</u>		white cottonleaf	small colony-forming rosette herb; white, cottony hairy; flower head on short stem which elongates when seeding		
<u>Asperula gunnii</u>		mountain woodruff	mat herb; hairless leaves in whorls of 4; tiny white flowers		
<u>Asperula pusilla</u>		alpine woodruff	mat herb, hairy; leaves in whorls of 6; tiny cream/white flowers		
<u>Astelia alpina</u>	е	pineapple grass	mat-forming plant; leaves to 40cm; flowers pale yellow; fruit a red berry		
<u>Baeckea gunniana</u>		alpine heathmyrtle	shrub to 2m; leaves to 5mm, oblong; flowers 5mm diam; white petals, red centre		
<u>Bellendena montana</u>	е	mountain rocket	shrub to 1m; leaves to 4cm, variable shape; flowers white in broad spikes; fruit flat, bright red		
<u>Celmisia asteliifolia</u>	е	silver snowdaisy	rosette herb to 30cm; leaves to 15cm, green above, silver hairy below; single large white daisy flower on long stem		
<u>Coprosma nitida</u>		mountain currant	shrub to 2m; leaves small elliptical; flowers small; fruit spherical, orange/red		
<u>Coprosma perpusilla</u>		orange matcurrant	prostrate shrub; leaves to 9 mm;yellowish flowers protruding		
<u>Coprosma pumila</u>		dwarf matcurrant	prostrate shrub;leaves to 8 mm; fruit dark red		
<u>Coronidium scorpioides</u>		curling everlasting	herb with single golden daisy flower heads on long stems		
<u>Cotula alpina</u>		alpine buttons	rosette herb; leaves with narrow lobes; flower heads on short stems		
<u>Craspedia glabrata</u>		little alpine billybuttons	herb; single white spherical daisy flowerheads to 12 mm diam.		
Craspedia macrocephala	<u>a</u> e	•	herb; single white spherical daisy flower heads to 2.5 cm diam.		
<u>Drosera arcturi</u>		alpine sundew	carnivorous rosette herb; leaves elongated; single white flower		
<u>Epacris gunnii</u>		coral heath	shrub to 80 cm; leaves heart shaped, prickly; white tube flowers		

<u>Epacris serpyllifolia</u>	е	alpine heath	shrub to 1 m; blunt leaves to 3 mm long; white tube flowers
<u>Epilobium fugitivum</u>	е	blunt willowherb	erect herb; pink flowers with notched petal tips
<u>Epilobium gunnianum</u>		bog willowherb	erect herb to 30 cm; flowers purplish pink to 20 mm diam., petal tip notched
Epilobium sarmentaceun	ŗ	mountain willowherb	erect herb to 20 cm; flowers pink to 15 mm diam, petal tip notched
<u>Epilobium tasmanicum</u>		snow willowherb	prostrate herb; leaves stalkless, glandular teeth; pink flowers on short stalks, petal tip notched
<u>Epilobium willisii</u>		carpet willowherb	prostrate herb; leaves stalkless, glandular teeth; pink flowers on long stalks, petal tip notched
<u>Euphrasia collina</u>	е	plain tufted- eyebright	erect herb to 50 cm; corolla two-lipped, white to lilac, outer surface hairy
<u>Ewartia catipes</u>	е	diamond cushionherb	mat-forming rosette herb; leaves woolly white; flower head pink/whte at centre
<u>Ewartia planchonii</u>	е	creeping cushionherb	creeping rosette herb; leaves white woolly; flower heads above rosette
<u>Exocarpos humifusus</u>	е	mountain native- cherry	prostrate shrub; leaf scales alternate; tiny flowers in groups; fruit dark red
<u>Exocarpos nanus</u>		alpine native- cherry	prostrate shrub; leaf scales opposite; fruit dark red
<u>Gaultheria depressa</u>	t	creeping waxberry	prostrate shrub; leaves round, 10 mm diam; fruit to 10 mm diam; red/white
<u>Gaultheria lanceolata</u>		lanceleaf waxberry	hairy shrub to 30 cm; leaves to 20 mm long; fruit rose pink, 8 mm diam.
<u>Gaultheria tasmanica</u>	е	tasmanian waxberry	prostrate shrub, forms mat to 30ch diam; leaves to 6mm; flowers white, tubular; fruit red, fleshy, found, flattened,
<u>Gentianella diemensis</u>	е	tasmanian snowgentian	herb with rosette leaves spatulate; flowers white
<u>Gentianella diemensis</u>	е	ben lomond snowgentian	herb to 20cm; basal leaves elliptical; flowers white with violet markings
<u>Gonocarpus montanus</u>		mountain raspwort	herb, stems square in x-section, leaves opposite, flowers tiny, red
<u>Grevillea australis</u>		southern grevillea	low shrub; leaves narrow sharp-pointed; flowers white
<u>Kelleria dieffenbachii</u>		carpet riceflower	prostrate shrub; leaves narrow, linear, hairy ; tiny white flowers;
<u>Lagenophora montana</u>		mountain bottledaisy	rosette herb; single mauve daisy flower head to 9 mm diam. on tall stem
<u>Leionema montanum</u>	е	spreading waxflower	shrub; leaves 1 cm long, cylindrical; flowers white or pink
<u>Leptinella filicula</u>		ferny buttons	prostrate herb; leaves divided; single yellow flower head on stout stem,
<u>Leptospermum rupestre</u>	е	mountain teatree	shrub; leaves elliptical, 8 mm long; flowers 5- petalled; fruit woody
<u>Microseris lanceolata</u>		highland yam daisy	rosette herb; leaves erect, to 20 cm long; single yellow flower head on tall stem

			-
Monotoca empetrifolia	е		shrub; leaves sharply pointed; flowers white, bell- shaped, 2-3 together
<u>Montia australasica</u>			prostrate fleshy herb; leaves narrow, to 9 cm long; flowers white
Montitega dealbata	е		mat shrub; leaves blunt, to 4 mm long, waxy white under; flowers white bell shaped
Olearia algida			shrub to 60 cm; leaves 1-3 mm long, in clusters, dark green above, hairy white below; daisy flower heads small
<u>Olearia obcordata</u>	е		shrub to 60 cm; leaves wedge shaped with lobed ends; flower heads white
<u>Oreomyrrhis ciliata</u>			rosette herb; leaves twice divided; flowers white, in flat-topped clusters on short stems
<u>Oreomyrrhis eriopoda</u>			rosett herb; leaves twice divided somewhat hairy; flowers small in heads
Oreomyrrhis sessiliflora	е		rosette herb; leaves divided, hairless; flowers in heads
<u>Orites acicularis</u>	е		shrub to 1.5m; leaves cylindrical, yellowish, sharp- pointed; flowers creamy white
<u>Orites diversifolius</u>			shrub to 2m; leaves variable, to 7cm long; flowers in pairs, creamy white
<u>Orites revolutus</u>	е		shrub to 2m; leaves rolled into a cylinder; flowers in pairs, white
<u>Ourisia integrifolia</u>	е		prostrate herb rooting at nodes; leaves thick, to 12 mm long; flowers white
Pappochroma bellidioide:			rosette herb; leaves hairy, to 8cm long; daisy flower head white or purplish
Pappochroma gunnii			rosette herb; leaves wedge shaped, hairless; daisy flower head white or purplish
Pappochroma pappocron	е		rosette herb; leaves spatulate, rough feel; daisy flower head white or purplish
Pappochroma stellatum	е		rosette herb; leaves to 2cm long, linear; daisy flower head white or cream
Pappochroma tasmanicu.			rosette herb; leaves bright green, stalked, hairless; flower head white to purple
Pappochroma trigonum			small daisy growing in cushion plants; flower heads white with purple centre
<u>Pentachondra pumila</u>			prostrate mat forming shrub; leaves oblong to 4mm long; flowers tubular, white; fruit red
Pimelea pygmaea	е		soft, blue-green, prostrate cushion shrub; leaves 6mm long; single white flowers
Pimelea sericea	е		shrub to 70 cm; leaves hairy below, to 12 mm long; flowers white to pink, in heads
Plantago daltonii	е		rosette herb; leaves hairless, to 10cm; sometimes in cushion plants
Plantago paradoxa	е	hairtuft plantain	rosette herb; leaves with transverse ridges;
Plantago tasmanica	е	tasmanian	rosette herb; leaves thick, hairy;

<u>Poa costiniana</u>		prickly snowgrass	tussock grass to 70cm tall; leaves circular in x section, pungent pointed (not endemic)
<u>Poa gunnii</u>	е	gunns snowgrass	tussock grass to 70cm tall; leaves circular in x- section, pointed ends
<u>Podocarpus lawrencei</u>		mountain plumpine	low shrub; leaves crowded, to 15 mm; female cone a fleshy red scale
Podolepis decipiens		showy copperwire- daisy	perennial herb to 60cm high; leaves in a rosette & smaller up stem; daisy flower, yellow, solitary, to 4cm diam, petals toothed at ends
<u>Prasophyllum alpinum</u>	е	alpine leek-orchid	herb to 30cm tall; stem hollw with5 - 14 small green-white flowers
Pterygopappus lawrence	<u>e</u> e	sage cushionplant	sage-green soft cushion plant; leaves form hexagons with tiny flower at centre
<u>Ranunculus gunnianus</u>		tufted buttercup	rosette herb; leaves erect, divided several times; flowers white/yellow, single
<u>Ranunculus nanus</u>	е	dwarf buttercup	rosette herb. leaves with three lobes; flowers golden on long stems, to 15mm diam.
<u>Richea acerosa</u>	е	slender candleheath	shrub to 1.2m; leaves narrow, sharp pointed,erect, 14mm long; white flowers at end of branch
<u>Richea gunnii</u>	е	bog candleheath	shrub to 1m; leaves at ends of branches, curved down, to 4cm long, sharp; flowers white
<u>Richea scoparia</u>	е	scoparia	shrub to >1m;leave to 6cm, sharp pointed; flowers in long dense spikes, white/pink/red
<u>Richea sprengelioides</u>	е	rigid candleheath	shrub to 40cm; leaves to 13cm, sharply pointed; flowers yellow at ends of branches
<u>Scapisenecio pectinatus</u>	е	yellow alpine groundsel	rosette herb; leaves deeply lobed, hairless; single yellow flower head on vertical stem
<u>Senecio gunnii</u>	е	mountain fireweed	erect herb to 50cm; leaves green above purple below; flowers, no petals, in groups
<u>Senecio pinnatifolius</u>		common coast groundsel	very variable perennial herb to 60 cm; leaves fleshy and divided; flowers yellow daisies often in loose heads. There are 5 varieties.
<u>Veronica ciliolata</u>		ben lomond cushionplant	cushion plant. hard green; flowers white, single among foliage
<u>Veronica nivea</u>		snow speedwell	small shrub to 50 cm; leaves divided; flowers in spikes, white, blue or mauve
<u>Wahlenbergia saxicola</u>	е	mountain bluebell	herb to 9 cm high; leaves elliptical to 3 cm; flowers blue, bell-shaped
Xerochrysum subundula	<u>t</u> .	orange paperdaisy	herb to 29cm tall, in colonies; flowers golden, to 5cm diam, single on stems



PLANT LISTBen Lomond - AlpineCreated23-Oct-22Updated23-May-23ByRoy Skabo

Goto List



RS Abrotanella forsteroides

tasmanian cushionplant hard, bright green cushion plant; tiny white flowers protrude



GJ <u>Acaena montana</u>

mountain buzzy prostrate herb; spherical flower/seed heads with hooks



GJ Acrothamnus hookeri

mountain beardheath shrub to 60 cm; leaves blunt,to 10mm; white flowers hairy inside



GJ Acrothamnus montanus

snow beardheath shrub to 60m; blunt leaves to 10mm; white flowers hairless inside

GJ Argyrotegium mackayi

white cottonleaf small colony-forming rosette herb; white, cottony hairy; flower head on short stem which elongates when seeding



GJ <u>Asperula gunnii</u>

mountain woodruff mat herb; hairless leaves in whorls of 4; tiny white flowers

Asperula pusilla

alpine woodruff mat herb, hairy; leaves in whorls of 6; tiny cream/white flowers



GJ <u>Astelia alpina</u>

var. alpina pineapple grass mat-forming plant; leaves to 40cm; flowers pale yellow; fruit a red berry



GJ <u>Baeckea gunniana</u>

alpine heathmyrtle shrub to 2m; leaves to 5mm, oblong; flowers 5mm diam; white petals, red centre



RS <u>Bellendena montana</u>

mountain rocket shrub to 1m; leaves to 4cm, variable shape; flowers white in broad spikes; fruit flat, bright red



RS Celmisia asteliifolia

silver snowdaisy rosette herb to 30cm; leaves to 15cm, green above, silver hairy below; single large white daisy flower on long stem



RW <u>Coprosma nitida</u>

mountain currant shrub to 2m; leaves small elliptical; flowers small; fruit spherical, orange/red



RS <u>Coprosma perpusilla</u> subsp. perpusilla

orange matcurrant prostrate shrub; leaves to 9 mm;yellowish flowers protruding



GJ <u>Coprosma pumila</u>

dwarf matcurrant prostrate shrub;leaves to 8 mm; fruit dark red



RS Coronidium scorpioides

curling everlasting herb with single golden daisy flower heads on long stems



RS <u>Cotula alpina</u>

alpine buttons rosette herb; leaves with narrow lobes; flower heads on short stems



GJ <u>Craspedia glabrata</u>

little alpine billybuttons herb; single white spherical daisy flowerheads to 12 mm diam.



GJ Craspedia macrocephala

alpine billybuttons herb; single white spherical daisy flower heads to 2.5 cm diam.



RS <u>Drosera arcturi</u>

alpine sundew

carnivorous rosette herb; leaves elongated; single white flower



GJ <u>Epacris gunnii</u>

coral heath shrub to 80 cm; leaves heart shaped, prickly; white tube flowers



GJ Epacris serpyllifolia

alpine heath shrub to 1 m; blunt leaves to 3 mm long; white tube flowers

Epilobium fugitivum

blunt willowherb erect herb; pink flowers with notched petal tips



GJ Epilobium gunnianum

bog willowherb erect herb to 30 cm; flowers purplish pink to 20 mm diam., petal tip notched



GJ Epilobium sarmentaceum

mountain willowherb erect herb to 20 cm; flowers pink to 15 mm diam, petal tip notched

GJ <u>Epilobium tasmanicum</u>

snow willowherb prostrate herb; leaves stalkless, glandular teeth; pink flowers on short stalks, petal tip notched



GJ <u>Epilobium willisii</u>

carpet willowherb prostrate herb; leaves stalkless, glandular teeth; pink flowers on long stalks, petal tip notched



GJ Euphrasia collina

subsp. diemenica plain tufted-eyebright erect herb to 50 cm; corolla two-lipped, white to lilac, outer surface hairy



RS <u>Ewartia catipes</u>

diamond cushionherb mat-forming rosette herb; leaves woolly white; flower head pink/whte at centre



GJ <u>Ewartia planchonii</u>

creeping cushionherb creeping rosette herb; leaves white woolly; flower heads above rosette



GJ Exocarpos humifusus

mountain native-cherry prostrate shrub; leaf scales alternate; tiny flowers in groups; fruit dark red



GJ <u>Exocarpos nanus</u>

alpine native-cherry prostrate shrub; leaf scales opposite; fruit dark red



GJ <u>Gaultheria depressa</u>

creeping waxberry prostrate shrub; leaves round, 10 mm diam; fruit to 10 mm diam; red/white



GJ <u>Gaultheria lanceolata</u>

lanceleaf waxberry hairy shrub to 30 cm; leaves to 20 mm long; fruit rose pink, 8 mm diam.



GJ Gaultheria tasmanica

tasmanian waxberry prostrate shrub, forms mat to 30ch diam; leaves to 6mm; flowers white, tubular; fruit red, fleshy, found, flattened,



GJ <u>Gentianella diemensis</u> subsp. diemensis tasmanian snowgentian herb with rosette leaves spatulate; flowers white

GJ <u>Gentianella diemensis</u> subsp. plantaginea ben lomond snowgentian herb to 20cm; basal leaves elliptical; flowers white with violet markings



RS <u>Gonocarpus montanus</u>

mountain raspwort herb, stems square in x-section, leaves opposite, flowers tiny, red



GJ <u>Grevillea australis</u>

southern grevillea low shrub; leaves narrow sharp-pointed; flowers white



RS Kelleria dieffenbachii

carpet riceflower prostrate shrub; leaves narrow, linear, hairy ; tiny white flowers;



GJ Lagenophora montana

mountain bottledaisy rosette herb; single mauve daisy flower head to 9 mm diam. on tall stem



GJ Leionema montanum

spreading waxflower shrub; leaves 1 cm long, cylindrical; flowers white or pink



GJ <u>Leptinella filicula</u>

ferny buttons prostrate herb; leaves divided; single yellow flower head on stout stem,



RS <u>Leptospermum rupestre</u>

mountain teatree shrub; leaves elliptical, 8 mm long; flowers 5-petalled; fruit woody



RS <u>Microseris lanceolata</u>

highland yam daisy rosette herb; leaves erect, to 20 cm long; single yellow flower head on tall stem

GJ Monotoca empetrifolia

mat broomheath shrub; leaves sharply pointed; flowers white, bell-shaped, 2-3 together



RS Montia australasica

white purslane prostrate fleshy herb; leaves narrow, to 9 cm long; flowers white



GJ Montitega dealbata

carpet cheeseberry mat shrub; leaves blunt, to 4 mm long, waxy white under; flowers white bell shaped



RS <u>Olearia algida</u>

alpine daisybush shrub to 60 cm; leaves 1-3 mm long, in clusters, dark green above, hairy white below; daisy flower heads small



GJ Olearia obcordata

heartleaf daisybush shrub to 60 cm; leaves wedge shaped with lobed ends; flower heads white



GJ Oreomyrrhis ciliata

fringed caraway rosette herb; leaves twice divided; flowers white, in flat-topped clusters on short stems



GJ Oreomyrrhis eriopoda

australian caraway rosett herb; leaves twice divided somewhat hairy; flowers small in heads



RS Oreomyrrhis sessiliflora

carroty caraway rosette herb; leaves divided, hairless; flowers in heads



GJ Orites acicularis

yellow orites shrub to 1.5m; leaves cylindrical, yellowish, sharp-pointed; flowers creamy white







GJ Orites diversifolius

variable orites shrub to 2m; leaves variable, to 7cm long; flowers in pairs, creamy white

GJ Orites revolutus

revolute orites shrub to 2m; leaves rolled into a cylinder; flowers in pairs, white

RS Ourisia integrifolia

mountain whitebell prostrate herb rooting at nodes; leaves thick, to 12 mm long; flowers white



GJ Pappochroma bellidioides

hairy mountaindaisy rosette herb; leaves hairy, to 8cm long; daisy flower head white or purplish



GJ Pappochroma gunnii

smooth mountaindaisy rosette herb; leaves wedge shaped, hairless; daisy flower head white or purplish





GJ Pappochroma pappocromum

violet mountaindaisy rosette herb; leaves spatulate, rough feel; daisy flower head white or purplish

GJ Pappochroma stellatum

star mountaindaisy rosette herb; leaves to 2cm long, linear; daisy flower head white or cream

Pappochroma tasmanicum

tasmanian mountaindaisy rosette herb; leaves bright green, stalked, hairless; flower head white to purple

Pappochroma trigonum

pointed mountaindaisy small daisy growing in cushion plants; flower heads white with purple centre



RS <u>Pentachondra pumila</u>

carpet frillyheath prostrate mat forming shrub; leaves oblong to 4mm long; flowers tubular, white; fruit red



GJ <u>Pimelea pygmaea</u>

alpine riceflower soft, blue-green, prostrate cushion shrub; leaves 6mm long; single white flowers



RS <u>Pimelea sericea</u>

mountain riceflower shrub to 70 cm; leaves hairy below, to 12 mm long; flowers white to pink, in heads



GJ Plantago daltonii

alpine plantain rosette herb; leaves hairless, to 10cm; sometimes in cushion plants



RS <u>Plantago paradoxa</u>

hairtuft plantain rosette herb; leaves with transverse ridges;



GJ Plantago tasmanica

tasmanian plantain rosette herb; leaves thick, hairy;

Poa costiniana

prickly snowgrass tussock grass to 70cm tall; leaves circular in x section, pungent pointed (not endemic)



GJ <u>Poa gunnii</u>

gunns snowgrass tussock grass to 70cm tall; leaves circular in x-section, pointed ends



GJ Podocarpus lawrencei

mountain plumpine low shrub; leaves crowded, to 15 mm; female cone a fleshy red scale



RS Podolepis decipiens

showy copperwire-daisy perennial herb to 60cm high; leaves in a rosette & smaller up stem; daisy flower, yellow, solitary, to 4cm diam, petals toothed at ends

Prasophyllum alpinum

alpine leek-orchid herb to 30cm tall; stem hollw with5 - 14 small green-white flowers



GJ Pterygopappus lawrencei

sage cushionplant sage-green soft cushion plant; leaves form hexagons with tiny flower at centre



RS <u>Ranunculus gunnianus</u>

tufted buttercup rosette herb; leaves erect, divided several times; flowers white/yellow, single



GJ <u>Ranunculus nanus</u>

dwarf buttercup rosette herb. leaves with three lobes; flowers golden on long stems, to 15mm diam.



RS <u>Richea acerosa</u>

slender candleheath shrub to 1.2m; leaves narrow, sharp pointed,erect, 14mm long; white flowers at end of branch



RS <u>Richea gunnii</u>

bog candleheath shrub to 1m; leaves at ends of branches, curved down, to 4cm long, sharp; flowers white



RS <u>Richea scoparia</u>

scoparia

shrub to >1m;leave to 6cm, sharp pointed; flowers in long dense spikes, white/pink/red



RS <u>Richea sprengelioides</u>

rigid candleheath shrub to 40cm; leaves to 13cm, sharply pointed; flowers yellow at ends of branches



GJ <u>Scapisenecio pectinatus</u>

var. pectinatus yellow alpine groundsel rosette herb; leaves deeply lobed, hairless; single yellow flower head on vertical stem



RS <u>Senecio gunnii</u>

mountain fireweed erect herb to 50cm; leaves green above purple below; flowers, no petals, in groups



RS <u>Senecio pinnatifolius</u>

common coast groundsel very variable perennial herb to 60 cm; leaves fleshy and divided; flowers yellow daisies often in loose heads. There are 5 varieties.



RS <u>Veronica ciliolata</u>

subsp. fiordensis ben lomond cushionplant cushion plant. hard green; flowers white, single among foliage



GJ <u>Veronica nivea</u>

snow speedwell small shrub to 50 cm; leaves divided; flowers in spikes, white, blue or mauve



GJ Wahlenbergia saxicola

mountain bluebell herb to 9 cm high; leaves elliptical to 3 cm; flowers blue, bellshaped



RS Xerochrysum subundulatum

orange paperdaisy herb to 29cm tall, in colonies; flowers golden, to 5cm diam, single on stems