

List

Scientific name	status	Common Name	Description
<i>Athrotaxis cupressoides</i>	e	pencil pine	conifer to 20m high; bark fibrous, furrowed; leaves small, overlapping; cones spherical
<i>Athrotaxis selaginoides</i>	e	king billy pine	conifer to 40m high; leaves to 12mm long, loosely overlapping; cones spherical to 2cm diam
<i>Athrotaxis x laxifolia</i>	e	hybrid pencil pine	hybrid of pencil pine and king billy pine
<i>Diselma archeri</i>	e	dwarf pine	shrub to 1.5m high; leaves small, crowded, overlapping, appressed to stems; cones appear to be bulges at ends of branches
<i>Lagarostrobos franklinii</i>	e	huon pine	conifer with drooping branches, to 30m high; leaves tiny, overlapping, stem-clasping; cones small
<i>Microcachrys tetragona</i>	e	creeping pine	prostrate conifer; leaves tiny, appressed to stem; cones small, terminal, red when ripe
<i>Phyllocladus aspleniifolius</i>	e	celerytop pine	conifer tree to 20m; "leaves" diamond shaped, thick, often lobed; female flowers fleshy in groups attached to "leaves", white & red
<i>Podocarpus lawrencei</i>		mountain plumpine	low shrub; leaves crowded, to 15 mm; female cone a fleshy red scale
<i>Abrotanella scapigera</i>	e	funnel snow-wort	
<i>Acaena montana</i>	e	mountain buzzy	prostrate herb; spherical flower/seed heads with hooks
<i>Acaena novae-zelandiae</i>		common buzzy	herb; leaves divided; balls of flower/seeds with hooks
<i>Acrothamnus hookeri</i>		mountain beardheath	shrub to 60 cm; leaves blunt, to 10mm; white flowers hairy inside
<i>Actinotus moorei</i>	e	splitleaf flannelflower	
<i>Agastachys odorata</i>	e	fragrant candlebush	shrub to 3m high; leaves hairless, oblong, to 8cm long; white flowers in erect spikes up to 12cm long
<i>Anodopetalum biglandulosum</i>	e	horizontal	shrub, or tree to 15m high; trunk usually bends over; leaves opposite, narrow elliptical, to 6cm long; flowers 4-petalled, cream/pale green
<i>Anopterus glandulosus</i>	e	tasmanian laurel	shrub/small tree to 4m; leaves glossy, to 17cm; flowers in clusters, 6-petalled, bell shaped, white/pink
<i>Archeria comberi</i>	e	pink summit-heath	shrub to 1m high; leaves to 4mm long, ovate to circular; flowers tubular, deep pink, 8mm long, near branch ends

List

<i>Archeria eriocarpa</i>	e	hairy rainforest-heath	shrub to 2.5m high; leaves to 9mm long, elliptical, edges finely toothed; flowers tubular, white/pink, to 7mm long
<i>Archeria hirtella</i>	e	smooth rainforest-heath	shrub to 4m high; leaves to 10mm long, elliptical; flowers tubular, white/pink
<i>Archeria serpyllifolia</i>	e	thyme summit-heath	shrub to 75cm high; leaves elliptical to 8mm long; flowers white, tubular to 5mm long
<i>Aristotelia peduncularis</i>	e	heartberry	straggling shrub to 1.5m; leaves to 70mm. lance-shaped, edges serrated; flowers white, bell-shaped, petals three-toothed; fruit heart shaped, white, red or black
<i>Atherosperma moschatum</i>		sassafras	tree to 25m; leaves to 8cm elliptical, margins often toothed; flowers white, in pairs, pendulous, 4-petalled. Male and female flowers on same or separate trees
<i>Bauera rubioides</i>		wiry bauera	sprawling wiry shrub; leaves opposite, each with three leaflets; flowers white to pink
<i>Bellendenia montana</i>	e	mountain rocket	shrub to 1m; leaves to 4cm, variable shape; flowers white in broad spikes; fruit flat, bright red
<i>Blandfordia punicea</i>	e	christmas bells	lily-like herb; leaves strap-like to 1.5m; flowers tubular, red/orange externally yellow internally to 45mm long
<i>Celmisia asteliifolia</i>	e	silver snowdaisy	rosette herb to 30cm; leaves to 15cm, green above, silver hairy below; single large white daisy flower on long stem
<i>Celmisia saxifraga</i>	e	small snowdaisy	perennial herb; leaves silver-hairy, overlapping, to 3cm long; flower heads white with yellow centres, on long stems
<i>Cenarrhenes nitida</i>	e	native plum	shrub/small tree to 8m; leaves to 15cm, edges toothed; flowers small, white in spikes
<i>Coprosma moorei</i>		blue matcurrant	shrub, prostrate, to 30cm diam; leaves ovate, thick, shining, to 5mm long; flowers small, bell-shaped; fruit blue, spherical
<i>Coprosma nitida</i>		mountain currant	shrub to 2m; leaves small elliptical; flowers small; fruit spherical, orange/red
<i>Cyathodes glauca</i>	e	purple cheeseberry	shrub to 3m; leaves pointed, to 5cm, green above whitish below; flowers tubular, white; fruit fleshy, white to red
<i>Donatia novae-zelandiae</i>	t	snow cushionplant	alpine cushion plant in western and central mountains; leaves hairy at base; flowers white, petals 5, each 5mm long
<i>Dracophyllum milliganii</i>		curly mountainheath	woody plant to 4m high; leaves long, strap-like, with long point; flowers white/pink, tubular, in crowded panicles
<i>Dracophyllum minimum</i>	e	heath cushionplant	alpine cushion plant to 90cm diam; leaves hard pointed, hairless; flowers white, tubular
<i>Drosera arcturi</i>		alpine sundew	carnivorous rosette herb; leaves elongated; single white flower
<i>Epacris corymbiflora</i>		buttongrass heath	shrub to 75cm high; leaves to 7mm long, thick, elliptical, appressed to stem; flowers white, tubular, sepals brown,

List

<i>Epacris gunnii</i>		coral heath	shrub to 80 cm; leaves heart shaped, prickly; white tube flowers
<i>Epacris serpyllifolia</i>	e	alpine heath	shrub to 1 m; blunt leaves to 3 mm long; white tube flowers
<i>Eucryphia lucida</i>	e	leatherwood	tree to 12m; leaves green above whitish below, ends blunt; flowers with 4 rounded white petals & numerous reddish stamens
<i>Eucryphia milliganii</i>	e	dwarf leatherwood	shrub/small tree to 3m high; leaves opposite, oblong, shiny green above, whitish under; flowers white with numerous showy burgundy-tipped stamens
<i>Euphrasia gibbsiae</i>	e	striped tufted eyebright	herb to 40cm high; opposite, hairy, lobed, wedge-shaped; flowers white, striated, 2 fused upper petals, lower 3 separate
<i>Euphrasia hookeri</i>	e	fingerleaf eyebright	herb to 10cm high; leaves with several, narrow, red-tipped lobes; flowers white with purple stripes, glandular hairy,
<i>Euphrasia striata</i>	e	shiny striped eyebright	perennial herb to 30cm, stems often purple; leaves with toothed ends; flowers white/mauve, lobes with purple lines
<i>Ewartia catipes</i>	e	diamond cushionherb	mat-forming rosette herb; leaves woolly white; flower head pink/white at centre
<i>Ewartia meredithiae</i>	e	rusty cushionherb	herb forming cushion-like mats; leaves to 5mm long, woolly white; flower heads single, white with reddish centre
<i>Ewartia planchonii</i>	e	creeping cushionherb	creeping rosette herb; leaves white woolly; flower heads above rosette
<i>Exocarpos humifusus</i>	e	mountain native-cherry	prostrate shrub; leaf scales alternate; tiny flowers in groups; fruit dark red
<i>Gaultheria hispida</i>		copperleaf snowberry	shrub to 1m; leaves dark green, edges serrated; flowers urn shaped, white/pink; fruit white, fleshy
<i>Gentianella diemensis</i>	e	tasmanian snowgentian	herb to 20cm high; leaves with central vein, in rosette at base; flowers white, 5-petalled, often with purple veins
<i>Helichrysum pumilum</i>		dwarf everlasting	herb to 10cm high; leaves glossy green above, hairy white under, in a rosette; flowers white on a single stem
<i>Leptecophylla pogonocalyx</i>	e	bearded pinkberry	shrub to 3m high; leaves narrow, to 17mm long, sharp-pointed; flowers white, tubular; fruit flattened sphere, red
<i>Leptinella filicula</i>		fern buttons	prostrate herb; leaves divided; single yellow flower head on stout stem,
<i>Leptospermum nitidum</i>	e	shiny teatree	shrub to 4m; leaves shiny green, to 2cm. Elliptical; flowers white large, 5 petals; fruit hard, scaly, flat-topped, 5 slits
<i>Liparophyllum exiguum</i>	e	dwarf marshwort	tiny herb, forms tangled masses; leaves elliptical/round, to 6mm long; flowers tiny, yellow, on slim stems
<i>Lomatia polymorpha</i>	e	mountain guitarplant	shrub to 4m high; leaves usually narrow lance-shaped, hairy under; flowers white, in terminal racemes; fruit woody,

List

<i>Monotoca glauca</i>		goldey wood	shrub to 3m; leaves to 10mm, sharp points; flowers white, 5 petalled, in small groups
<i>Monotoca submutica</i>	e	mountain broomheath	shrub to 3m; leaves to 12mm, elliptic, apex blunt, green above, white branched veins under; flowers white tubular
<i>Montitega dealbata</i>	e	carpet cheeseberry	mat shrub; leaves blunt, to 4 mm long, waxy white under; flowers white bell shaped
<i>Nothofagus cunninghamii</i>		myrtle beech	tree to 50m; leaves roundish, new growth red; flowers inconspicuous
<i>Nothofagus gunnii</i>	e	deciduous beech	shrub to 3m high; leaves to 20mm long, rounded with shallow rounded teeth, crinkled, deciduous;
<i>Olearia ledifolia</i>	e	rock daisybush	shrub to 60cm; leaves oblong to 3cm, folded down, hairy under; daisy flowers white
<i>Olearia persoonioides</i>	e	geebung daisybush	shrub to 3m; leaves elliptical to 5cm, shiny above, hairy below; flower heads 3 to 5 on single stem
<i>Olearia pinifolia</i>	e	prickly daisybush	shrub to 3m; leaves rigid, linear, sharp pointed, to 4cm; white daisy flowers on fine stalks, up to 6 "petals"
<i>Orites acicularis</i>	e	yellow orites	shrub to 1.5m; leaves cylindrical, yellowish, sharp-pointed; flowers creamy white
<i>Orites diversifolius</i>		variable orites	shrub to 2m; leaves variable, to 7cm long; flowers in pairs, creamy white
<i>Orites milliganii</i>		toothed orites	shrub to 1m high; leaves to 3cm long, ovate, thick, rigid, margins toothed; flowers creamy white, in dense spikes; fruit boat-shaped, woody
<i>Orites revolutus</i>	e	revolute orites	shrub to 2m; leaves rolled into a cylinder; flowers in pairs, white
<i>Oxalis magellanica</i>		snowdrop woodsorrel	herb; leaves with 3 heart-shaped leaflets; flowers white, on stalks longer than leaves
<i>Ozothamnus rodwayi</i>	e	alpine everlastingbush	shrub to 1m; leaves to 1.5cm, grey-green, hairy/white below; flowers white, clustered at ends of branches
<i>Pentachondra pumila</i>		carpet frillyheath	prostrate mat forming shrub; leaves oblong to 4mm long; flowers tubular, white; fruit red
<i>Persoonia gunnii</i>	e	mountain geebung	shrub to 3m high; leaves turned up at blunt end; flowers cream/yellow, tubular, fragrant; fruit green then purple
<i>Pimelea cinerea</i>	e	grey riceflower	shrub to 2m high; leaves opposite, elliptical, to 3cm long, flat; flowers white, tubular, in few-flowered, terminal heads
<i>Pimelea linifolia</i>		slender riceflower	
<i>Pimelea sericea</i>	e	mountain riceflower	shrub to 70 cm; leaves hairy below, to 12 mm long; flowers white to pink, in heads
<i>Pittosporum bicolor</i>		cheesewood	tree to 8m, conical habit; leaves dark green above, lighter below; flowers bell-shaped, brown & yellow
<i>Planocarpa sulcata</i>	e	grooved cheeseberry	shrub to 40cm high; leaves crowded, to 1cm long, margins rolled under; flowers white, tubular; fruit a flattened, red drupe

List

<i>Prionotes cerinthoides</i>	e	climbing heath	climbing shrub to 10m high; leaves to 14mm long, oblong, margins serrated; flowers pink/red, tubular, to 25mm long
<i>Pseudopanax gunnii</i>		forest fernbush	shrub to 1.5m; 3-7 leaflets, each to 8cm long, margins toothed; flowers small green/white; fruit shiny, purple/black
<i>Pterygopappus lawrencei</i>	e	sage cushionplant	sage-green soft cushion plant; leaves form hexagons with tiny flower at centre
<i>Richea milliganii</i>		nodding candleheath	shrub to 2m high; leaves narrow, tapering to sharp point, to 6cm long; flowers creamy yellow, pendant, stamens 2cm long
<i>Richea pandanifolia</i>	e		heath to 10m high; leaves strap-like, to 2m long; flowers white/pink maturing to deep pink, in spike to 25cm long
<i>Richea scoparia</i>	e	scoparia	shrub to >1m; leaf to 6cm, sharp pointed; flowers in long dense spikes, white/pink/red
<i>Richea sprengelioides</i>	e	rigid candleheath	shrub to 40cm; leaves to 13cm, sharply pointed; flowers yellow at ends of branches
<i>Rubus gunnianus</i>	e	alpine raspberry	prostrate alpine herb, spreads by rhizomes; leaves dark green, three serrated leaflets; flowers white on short stalks; fruit red
<i>Scapisenecio leptocarpus</i>		western groundsel	herb to 30cm high; leaves crowded near base, toothed; daisy flower heads, yellow, to 2.5cm diam, 2-5 on stem,
<i>Sprengelia incarnata</i>		pink swampheath	erect shrub to 2m; leaves hard, pointed, sheathing stem; flowers pink/white, in terminal clusters
<i>Stylidium graminifolium</i>		narrowleaf triggerplant	herb to 50cm; leaves narrow, strap-like; flowers pink, four-petalled, in spikes
<i>Tasmania lanceolata</i>		mountain pepper	tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black
<i>Telopea truncata</i>	e	tasmanian waratah	tree to 4m; leaves lance-shaped; flowers red, to 8cm diam; fruit a leathery pod
<i>Tetracarpaea tasmannica</i>	e	delicate laurel	shrub to 1m high; leaves leathery, oval, tip serrated, to 3cm long; flowers cream/white, small, in terminal spikes
<i>Trochocarpa cunninghamii</i>	e	straggling purpleberry	shrub to 1.5m high; leaves ovate, to 5mm long, lighter under; flowers pink/white, tubular, pendulous; fruit flattened, mauve
<i>Trochocarpa gunnii</i>	e	fragrant purpleberry	shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers yellow/cream in terminal bottle brushes
<i>Xanthosia dissecta</i>		cutleaf crossherb	herb to 10cm high; leaves leaves divided into 3 lobes with lobes divided again; flowers tiny in groups of 1-3
<i>Xerochrysum milliganii</i>	e	snow paperdaisy	herb to 10cm high; leaves thick, pointed, elliptical in rosette; paper daisy flower head, 2-3cm diam, white with yellow centre
<i>Leptecophylla juniperina</i>	e	cheeseberry	Dense bush with pointed leaves, clusters of red berries and small white flowers with petals fused and tipped with brown
<i>Blechnum nudum</i>		fishbone waterfern	fronds light green divided only once, fertile fronds different

List

<i>Blechnum wattsii</i>		hard waterfern	fronds dark green, divided only once, fertile fronds different
<i>Dicksonia antarctica</i>		soft treefern	Tall fern, trunks to several metres tall
<i>Polystichum proliferum</i>		mother shieldfern	note bulbils (new FERN) on fronds
<i>Pteridium esculentum</i>		bracken	common fern to 2.5m tall; leathery much divided frond
<i>Astelia alpina</i>	e	pineapple grass	mat-forming plant; leaves to 40cm; flowers pale yellow; fruit a red berry
<i>Campynema lineare</i>	e	green mountainlily	herb to 30cm high; single basal leaf & smaller stem leaves; flower usually single, green
<i>Cryptostylis subulata</i>		large tongue-orchid	leaves in small groups lanceolate dark green to yellow-green flowers 3-20 reddish brown scape to 80cm
<i>Diplarrena latifolia</i>	e	western flag-iris	perennial herb; leaves strap-like, to 100cm long, flowers on long stalks, white with yellow & purple centres
<i>Eriochilus cucullatus</i>		autumn-orchid	to 30 cm tall pink flower like a parson's bands
<i>Gahnia grandis</i>		cutting grass	tufted perennial with narrow grass-like leaves with sharp, rough edges; flowers in spikes on culms to 3m
<i>Isophysis tasmanica</i>	e	tasmanian purplestar	herb to 30cm high; leaves tapered, in fan-shaped tufts, flowers purple, star-shaped, on stem longer than leaves
<i>Libertia pulchella</i>		pretty grassflag	perennial herb; leaves narrow in fans to 15cm long; flowers small, white, 6-petalled, in small clusters
<i>Milligania densiflora</i>	e	silky milligania	lily to 75cm high, growing in dense colonies; leaves strap-like, to 50cm long; flowers cream/white, tubular, hairy, in groups at ends of stems
<i>Patersonia fragilis</i>		short purpleflag	
<i>Xyris operculata</i>	e	tall yelloweye	



PLANT LIST

Lake Johnson Reserve, Mount Read Rd, Herculese Rd, Mt Hamilton.

Created 10-Jun-13
Updated 10-May-23
By DIPWE, Dick Burns, R Skabo

[Goto List](#)



GJ [*Athrotaxis cupressoides*](#)

pencil pine
conifer to 20m high; bark fibrous, furrowed; leaves small, overlapping; cones spherical



GJ [*Athrotaxis selaginoides*](#)

king billy pine
conifer to 40m high; leaves to 12mm long, loosely overlapping; cones spherical to 2cm diam



GJ [*Athrotaxis x laxifolia*](#)

hybrid pencil pine
hybrid of pencil pine and king billy pine



RW *Diselma archeri*

dwarf pine
shrub to 1.5m high; leaves small, crowded, overlapping, appressed to stems; cones appear to be bulges at ends of branches



GJ *Lagarostrobos franklinii*

huon pine
conifer with drooping branches, to 30m high; leaves tiny, overlapping, stem-clasping; cones small



GJ *Microcachrys tetragona*

creeping pine
prostrate conifer; leaves tiny, appressed to stem; cones small, terminal, red when ripe



GJ *Phyllocladus aspleniifolius*

celerytop pine
conifer tree to 20m; "leaves" diamond shaped, thick, often lobed; female flowers fleshy in groups attached to "leaves", white & red




GJ *Podocarpus lawrencei*

mountain plumpine
low shrub; leaves crowded, to 15 mm; female cone a fleshy red scale



GJ [Abrotanella scapigera](#)

funnel snow-wort



GJ [Acaena montana](#)

mountain buzzy
prostrate herb; spherical flower/seed heads with hooks



RS [Acaena novae-zelandiae](#)

common buzzy
herb; leaves divided; balls of flower/seeds with hooks



GJ [Acrothamnus hookeri](#)

mountain beardheath
shrub to 60 cm; leaves blunt, to 10mm; white flowers hairy inside



GJ [Actinotus moorei](#)

splitleaf flannelflower



GJ [Agastachys odorata](#)

fragrant candlebush

shrub to 3m high; leaves hairless, oblong, to 8cm long; white flowers in erect spikes up to 12cm long



RW [Anodopetalum biglandulosum](#)

horizontal

shrub, or tree to 15m high; trunk usually bends over; leaves opposite, narrow elliptical, to 6cm long; flowers 4-petalled, cream/pale green



GJ [Anopterus glandulosus](#)

tasmanian laurel

shrub/small tree to 4m; leaves glossy, to 17cm; flowers in clusters, 6-petalled, bell shaped, white/pink



GJ [Archeria comberi](#)

pink summit-heath

shrub to 1m high; leaves to 4mm long, ovate to circular; flowers tubular, deep pink, 8mm long, near branch ends



GJ [Archeria eriocarpa](#)

hairy rainforest-heath

shrub to 2.5m high; leaves to 9mm long, elliptical, edges finely toothed; flowers tubular, white/pink, to 7mm long



GJ [*Archeria hirtella*](#)

smooth rainforest-heath
shrub to 4m high; leaves to 10mm long, elliptical; flowers
tubular, white/pink



GJ [*Archeria serpyllifolia*](#)

thyme summit-heath
shrub to 75cm high; leaves elliptical to 8mm long; flowers
white, tubular to 5mm long



GJ [*Aristotelia peduncularis*](#)

heartberry
straggling shrub to 1.5m; leaves to 70mm, lance-shaped,
edges serrated; flowers white, bell-shaped, petals three-
toothed; fruit heart shaped, white, red or black



GJ [*Atherosperma moschatum*](#)

sassafras
tree to 25m; leaves to 8cm elliptical, margins often toothed;
flowers white, in pairs, pendulous, 4-petaled. Male and female
flowers on same or separate trees



GJ [*Bauera rubioides*](#)

wiry bauera
sprawling wiry shrub; leaves opposite, each with three leaflets;
flowers white to pink



RS [Bellendena montana](#)

mountain rocket

shrub to 1m; leaves to 4cm, variable shape; flowers white in broad spikes; fruit flat, bright red



GJ [Blandfordia punicea](#)

christmas bells

lily-like herb; leaves strap-like to 1.5m; flowers tubular, red/orange externally yellow internally to 45mm long



RS [Celmisia asteliifolia](#)

silver snowdaisy

rosette herb to 30cm; leaves to 15cm, green above, silver hairy below; single large white daisy flower on long stem



RW [Celmisia saxifraga](#)

small snowdaisy

perennial herb; leaves silver-hairy, overlapping, to 3cm long; flower heads white with yellow centres, on long stems



GJ [Cenarrhenes nitida](#)

native plum

shrub/small tree to 8m; leaves to 15cm, edges toothed; flowers small, white in spikes



GJ *Coprosma moorei*

blue matcurren

shrub, prostrate, to 30cm diam; leaves ovate, thick, shining, to 5mm long; flowers small, bell-shaped; fruit blue, spherical



RW *Coprosma nitida*

mountain currant

shrub to 2m; leaves small elliptical; flowers small; fruit spherical, orange/red



RS *Cyathodes glauca*

purple cheeseberry

shrub to 3m; leaves pointed, to 5cm, green above whitish below; flowers tubular, white; fruit fleshy, white to red



GJ *Donatia novae-zelandiae*

snow cushionplant

alpine cushion plant in western and central mountains; leaves hairy at base; flowers white, petals 5, each 5mm long



GJ *Dracophyllum milliganii*

curly mountainheath

woody plant to 4m high; leaves long, strap-like, with long point; flowers white/pink, tubular, in crowded panicles



GJ *Dracophyllum minimum*

heath cushionplant
alpine cushion plant to 90cm diam; leaves hard pointed,
hairless; flowers white, tubular



RS *Drosera arcturi*

alpine sundew
carnivorous rosette herb; leaves elongated; single white flower



GJ *Epacris corymbiflora*

buttongrass heath
shrub to 75cm high; leaves to 7mm long, thick, elliptical,
appressed to stem; flowers white, tubular, sepals brown,



GJ *Epacris gunnii*

coral heath
shrub to 80 cm; leaves heart shaped, prickly; white tube
flowers



GJ *Epacris serpyllifolia*

alpine heath
shrub to 1 m; blunt leaves to 3 mm long; white tube flowers



GJ *Eucryphia lucida*

leatherwood
tree to 12m; leaves green above whitish below, ends blunt;
flowers with 4 rounded white petals & numerous reddish
stamens



GJ *Eucryphia milliganii*

dwarf leatherwood
shrub/small tree to 3m high; leaves opposite, oblong, shiny
green above, whitish under; flowers white with numerous
showy burgundy-tipped stamens



GJ *Euphrasia gibbsiae*

striped tufted eyebright
herb to 40cm high; opposite, hairy, lobed, wedge-shaped;
flowers white, striated, 2 fused upper petals, lower 3 separate



GJ *Euphrasia hookeri*

fingerleaf eyebright
herb to 10cm high; leaves with several, narrow, red-tipped
lobes; flowers white with purple stripes, glandular hairy,



RW *Euphrasia striata*

shiny striped eyebright
perennial herb to 30cm, stems often purple; leaves with
toothed ends; flowers white/mauve, lobes with purple lines



RS [*Ewartia catipes*](#)

diamond cushionherb
mat-forming rosette herb; leaves woolly white; flower head
pink/white at centre



GJ [*Ewartia meredithiae*](#)

rusty cushionherb
herb forming cushion-like mats; leaves to 5mm long, woolly
white; flower heads single, white with reddish centre



GJ [*Ewartia planchonii*](#)

creeping cushionherb
creeping rosette herb; leaves white woolly; flower heads above
rosette



GJ [*Exocarpos humifusus*](#)

mountain native-cherry
prostrate shrub; leaf scales alternate; tiny flowers in groups;
fruit dark red



RS [*Gaultheria hispida*](#)

copperleaf snowberry
shrub to 1m; leaves dark green, edges serrated; flowers urn
shaped, white/pink; fruit white, fleshy



GJ *Gentianella diemensis*

subsp. Diemensis

tasmanian snowgentian


herb to 20cm high; leaves with central vein, in rosette at base; flowers white, 5-petalled, often with purple veins



RW *Helichrysum pumilum*

dwarf everlasting

herb to 10cm high; leaves glossy green above, hairy white under, in a rosette; flowers white on a single stem



GJ *Leptecophylla pogonocalyx*

bearded pinkberry

shrub to 3m high; leaves narrow, to 17mm long, sharp-pointed; flowers white, tubular; fruit flattened sphere, red



GJ *Leptinella filicula*

ferny buttons

prostrate herb; leaves divided; single yellow flower head on stout stem,



GJ *Leptospermum nitidum*

shiny teatree

shrub to 4m; leaves shiny green, to 2cm. Elliptical; flowers white large, 5 petals; fruit hard, scaly, flat-topped, 5 slits



GJ [*Liparophyllum exiguum*](#)

dwarf marshwort
tiny herb, forms tangled masses; leaves elliptical/round, to 6mm long; flowers tiny, yellow, on slim stems



GJ [*Lomatia polymorpha*](#)

mountain guitarplant
shrub to 4m high; leaves usually narrow lance-shaped, hairy under; flowers white, in terminal racemes; fruit woody,



RW [*Monotoca glauca*](#)

goldey wood
shrub to 3m; leaves to 10mm, sharp points; flowers white, 5 petalled, in small groups



GJ [*Monotoca submutica*](#)

mountain broomheath
shrub to 3m; leaves to 12mm, elliptic, apex blunt, green above, white branched veins under; flowers white tubular



GJ [*Montitega dealbata*](#)

carpet cheeseberry
mat shrub; leaves blunt, to 4 mm long, waxy white under; flowers white bell shaped



RS [*Nothofagus cunninghamii*](#)

myrtle beech
tree to 50m; leaves roundish, new growth red; flowers
inconspicuous



GJ [*Nothofagus gunnii*](#)

deciduous beech
shrub to 3m high; leaves to 20mm long, rounded with shallow
rounded teeth, crinkled, deciduous;



GJ [*Olearia ledifolia*](#)

rock daisybush
shrub to 60cm; leaves oblong to 3cm, folded down, hairy
under; daisy flowers white



RS [*Olearia persoonioides*](#)

geebung daisybush
shrub to 3m; leaves elliptical to 5cm, shiny above, hairy below;
flower heads 3 to 5 on single stem



RW [*Olearia pinifolia*](#)

prickly daisybush
shrub to 3m; leaves rigid, linear, sharp pointed, to 4cm; white
daisy flowers on fine stalks, up to 6 "petals"



GJ *Orites acicularis*

yellow orites
shrub to 1.5m; leaves cylindrical, yellowish, sharp-pointed;
flowers creamy white



GJ *Orites diversifolius*

variable orites
shrub to 2m; leaves variable, to 7cm long; flowers in pairs,
creamy white



GJ *Orites milliganii*

toothed orites
shrub to 1m high; leaves to 3cm long, ovate, thick, rigid,
margins toothed; flowers creamy white, in dense spikes; fruit
boat-shaped, woody



GJ *Orites revolutus*

revolute orites
shrub to 2m; leaves rolled into a cylinder; flowers in pairs,
white



GJ *Oxalis magellanica*

snowdrop woodsorrel
herb; leaves with 3 heart-shaped leaflets; flowers white, on
stalks longer than leaves



RS [*Ozothamnus rodwayi*](#)

alpine everlastingbush
shrub to 1m; leaves to 1.5cm, grey-green, hairy/white below;
flowers white, clustered at ends of branches



RS [*Pentachondra pumila*](#)

carpet frillyheath
prostrate mat forming shrub; leaves oblong to 4mm long;
flowers tubular, white; fruit red



RW [*Persoonia gunnii*](#)

mountain geebung
shrub to 3m high; leaves turned up at blunt end; flowers
cream/yellow, tubular, fragrant; fruit green then purple



GJ [*Pimelea cinerea*](#)

grey riceflower
shrub to 2m high; leaves opposite, elliptical, to 3cm long, flat;
flowers white, tubular, in few-flowered, terminal heads



GJ [*Pimelea linifolia*](#)

slender riceflower



RS *Pimelea sericea*

mountain riceflower
shrub to 70 cm; leaves hairy below, to 12 mm long; flowers white to pink, in heads



AS *Pittosporum bicolor*

cheesewood
tree to 8m, conical habit; leaves dark green above, lighter below; flowers bell-shaped, brown & yellow



GJ *Planocarpa sulcata*

grooved cheeseberry
shrub to 40cm high; leaves crowded, to 1cm long, margins rolled under; flowers white, tubular; fruit a flattened, red drupe



GJ *Prionotes cerinthoides*

climbing heath
climbing shrub to 10m high; leaves to 14mm long, oblong, margins serrated; flowers pink/red, tubular, to 25mm long



GJ *Pseudopanax gunnii*

forest fernbush
shrub to 1.5m; 3-7 leaflets, each to 8cm long, margins toothed; flowers small green/white; fruit shiny, purple/black



GJ [*Pterygopappus lawrencei*](#)

sage cushionplant
sage-green soft cushion plant; leaves form hexagons with tiny flower at centre



GJ [*Richea milliganii*](#)

nodding candleheath
shrub to 2m high; leaves narrow, tapering to sharp point, to 6cm long; flowers creamy yellow, pendant, stamens 2cm long



GJ [*Richea pandanifolia*](#)

heath to 10m high; leaves strap-like, to 2m long; flowers white/pink maturing to deep pink, in spike to 25cm long



RS [*Richea scoparia*](#)

scoparia
shrub to >1m; leaf to 6cm, sharp pointed; flowers in long dense spikes, white/pink/red



RS [*Richea sprengeioides*](#)

rigid candleheath
shrub to 40cm; leaves to 13cm, sharply pointed; flowers yellow at ends of branches



GJ *Rubus gunnianus*

alpine raspberry

prostrate alpine herb, spreads by rhizomes; leaves dark green, three serrated leaflets; flowers white on short stalks; fruit red



GJ *Scapisenecio leptocarpus*

western groundsel

herb to 30cm high; leaves crowded near base, toothed; daisy flower heads, yellow, to 2.5cm diam, 2-5 on stem,



GJ *Sprengelia incarnata*

pink swampheath

erect shrub to 2m; leaves hard, pointed, sheathing stem; flowers pink/white, in terminal clusters



BC *Stylidium graminifolium*

narrowleaf triggerplant

herb to 50cm; leaves narrow, strap-like; flowers pink, four-petaled, in spikes



RS *Tasmannia lanceolata*

mountain pepper

tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black



GJ *Telopea truncata*

tasmanian waratah
tree to 4m; leaves lance-shaped; flowers red, to 8cm diam;
fruit a leathery pod



GJ *Tetracarpaea tasmannica*

delicate laurel
shrub to 1m high; leaves leathery, oval, tip serrated, to 3cm
long; flowers cream/white, small, in terminal spikes



GJ *Trochocarpa cunninghamii*

straggling purpleberry
shrub to 1.5m high; leaves ovate, to 5mm long, lighter under;
flowers pink/white, tubular, pendulous; fruit flattened, mauve



RW *Trochocarpa gunnii*

fragrant purpleberry
shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers
yellow/cream in terminal bottle brushes



GJ *Xanthosia dissecta*

cutleaf crossherb
herb to 10cm high; leaves leaves divided into 3 lobes with
lobes divided again; flowers tiny in groups of 1-3



GJ *Xerochrysum milliganii*

snow paperdaisy

herb to 10cm high; leaves thick, pointed, elliptical in rosette;
paper daisy flower head, 2-3cm diam, white with yellow centre



AS *Leptecophylla juniperina*

subsp. Parvifolia

cheeseberry

Dense bush with pointed leaves, clusters of red berries and
small white flowers with petals fused and tipped with brown



GJ *Blechnum nudum*

fishbone waterfern

fronds light green divided only once, fertile fronds different



GJ *Blechnum wattsi*

hard waterfern

fronds dark green, divided only once, fertile fronds different



GJ *Dicksonia antarctica*

soft treefern

Tall fern, trunks to several metres tall



GJ *Polystichum proliferum*

mother shieldfern
note bulbils (new FERN) on fronds



GJ *Pteridium esculentum*

subsp. esculentum
bracken
common fern to 2.5m tall; leathery much divided frond



GJ *Astelia alpina*

var. alpina
pineapple grass
mat-forming plant; leaves to 40cm; flowers pale yellow; fruit a red berry



GJ *Campynema lineare*

green mountainlily
herb to 30cm high; single basal leaf & smaller stem leaves;
flower usually single, green



JC *Cryptostylis subulata*

large tongue-orchid
leaves in small groups lanceolate dark green to yellow-green
flowers 3-20 reddish brown scape to 80cm



GJ [*Diplarrena latifolia*](#)

western flag-iris
perennial herb; leaves strap-like, to 100cm long, flowers on long stalks, white with yellow & purple centres



GJ [*Eriochilus cucullatus*](#)

autumn-orchid
to 30 cm tall pink flower like a parson's bands



GJ [*Gahnia grandis*](#)

cutting grass
tufted perennial with narrow grass-like leaves with sharp, rough edges; flowers in spikes on culms to 3m



MG [*Isophysis tasmanica*](#)

tasmanian purplestar
herb to 30cm high; leaves tapered, in fan-shaped tufts, flowers purple, star-shaped, on stem longer than leaves



GJ [*Libertia pulchella*](#)

pretty grassflag
perennial herb; leaves narrow in fans to 15cm long; flowers small, white, 6-petaled, in small clusters



GJ *Milligania densiflora*

silky milligania

lily to 75cm high, growing in dense colonies; leaves strap-like, to 50cm long; flowers cream/white, tubular, hairy, in groups at ends of stems



GJ *Patersonia fragilis*

short purpleflag



BC *Xyris operculata*

tall yelloweye