

PLANT LIST

Murry's Track, Bruny Island
Created ??

24-Nov-23 Updated Kay Geeves Ву

Goto Photos

Scientific name	sta	Common Name	Description
Acacia melanoxylon		blackwood	tree to 30m; leaves with parallel veins; round flower heads
Acacia riceana	е	arching wattle	shrub/tree to 6 m; phyllodes clustered, to 3 cm long with sharp point; flowers yellow in spikes.
Anodopetalum biglandulosum	е	horizontal	shrub, or tree to 15m high; trunk usually bends over; leaves opposite, narrow elliptical, to 6cm long; flowers 4-petalled, cream/pale green
Aristotelia peduncularis	е	heartberry	straggling shrub to 1.5m; leaves to 70mm. lance- shaped, edges serrated; flowers white, bell- shaped,petals three-toothed; fruit heart shaped, white, red or black
ratiototolia podditodiano		mother spleenwort	
Asplenium bulbiferum			
Atherosperma moschatum		sassafras	tree to 25m; leaves to 8cm elliptical, margins often toothed; flowers white, in pairs, pendulous, 4-petalled. Male and female flowers on same or separate trees
Bedfordia salicina	е	tasmanian blanketleaf	shrub/tree to 5m; leaves dark green above silver hairy below; yellow daisy flowers in groups
Billardiera longiflora	е	purple appleberry	vine to 3m, clambers over other plants; leaves lance-like to 3cm; flowers tubular 2.5cm, yellow/green; fruit blue, sometimes white
Blechnum cartilagineum		soft water fern	Large fern in creeks in N and W, fronds tinged red, fertile fronds similar to leaves (distinguishing)
Blechnum wattsii		hard waterfern	fronds dark green, divided only once, fertile fronds different
<u>Cassinia aculeata</u>		dolly bush	shrub to 3 m; large clusters of small white flowers
Cenarrhenes nitida	е	native plum	shrub/small tree to 8m; leaves to 15cm, edges toothed; flowers small, white in spikes
Clematis aristata		mountain clematis	climber; leaves multi-lobed; large white star-like flowers
Coprosma quadrifida		native currant	erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange
Cyathea australis			, ,
Cyathodes glauca	е	purple cheeseberry	shrub to 3m; leaves pointed, to 5cm, green above whitish below; flowers tubular, white; fruit fleshy, white to red
Dianella tasmanica		forest flaxlily	perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry
Dicksonia antarctica		soft treefern	Tall fern, trunks to several metres tall

List

1			
<u>Drymophila cyanocarpa</u>		turquoise berry	
Eucalyptus delegatensis	е	gumtopped stringybark	tree to 50m; stringy bark on most of trunk, branches white; leaves asymmetrical.
Eucalyptus globulus		tasmanian bluegum	tree to 70m high, trunk rough at base, smooth, greyish/white above; leaves lance-shaped to 30cm long; fruit large, ribbed
Eucalyptus obliqua		stringybark	tree to 90m; trunk & branches covered in soft, ridged bark; leaves very unsymmetrical;
Exocarpos cupressiformis		common native- cherry	tree; conifer-like foliage; edible orange coloured fruit
Gahnia grandis		cutting grass	tufted perennial with narrow grass-like leaves with sharp, rough edges; flowers in spikes on culms to 3m
Garrina granuis		copperleaf snowberry	shrub to 1m; leaves dark green, edges serrated; flowers urn shaped, white/pink; fruit white, fleshy
Gaultheria hispida		•	•
Gleichenia dicarpa	е	pouched coralfern	
		hop native- primrose	shrub to 2m; leaves bright green, to 6cm, edges toothed; flowers yellow with petals in two groups
Goodenia ovata			
Grammitis sp.			
Hymenophyllum sp.		ah a a a a h a www.	not in Too
Leptecophylla juniperina	_	cheeseberry	not in Tas
Lomatia polymorpha	е	mountain guitarplant	shrub to 4m high; leaves usually narrow lance- shaped, hairy under; flowers white, in terminal racemes; fruit woody,
Lycopodium deuterodensum		conifer clubmoss	
Melaleuca pallida			yellow bottlebrush, leathery lanceolate leaves
		scented paperbark	shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers yellow/cream in terminal bottle brushes
Melaleuca squarrosa		lean mana a fama	Climbinal form on works on trace, from a creat to
Microsorum pustulatum		kangaroo fern	Climbing fern on rocks or trees; fronds erect to pendant, widely separated; long creeping fleshy grey-green rooting stem
Monotoca elliptica		tree broomheath	Shrub to 5m; leaves slight-convex, oblong to 25mm, dark green above white below; flowers white tubular in clusters towards branch ends
Muehlenbeckia gunnii		forest lignum	woody twining climber to 10m high; leaves arrowshaped, to 7cm long; flowers to 9mm diam, in groups of 2-6
Nothofagus cunninghamii		myrtle beech	tree to 50m; leaves roundish, new growth red; flowers inconspicuous
Notogrammitis heterophylla			epiphytic fern, fronds a crowded tuft. Rrhizome short. Stem short and winged, scaly at base.
Olearia argophylla		musk daisybush	shrub/tree to 15 m; large leaves with silver back; flowers in large crowded heads.
	е	geebung daisybush	shrub to 3m; leaves elliptical to 5cm, shiny above, hairy below; flower heads 3 to 5 on single stem
Olearia persoonioides		dusty daisybush	shrub to 1.5m; leaves hairy under, margins somewhat toothed; white daisy flowers to 2 cm
Olearia phlogopappa			diam.

List

Olearia phlogopappa		dusty daisybush	shrub to 1.5m; leaves hairy under, margins somewhat toothed; white daisy flowers to 2 cm diam.
Orites diversifolius Phlegmariurus varius		variable orites	shrub to 2m; leaves variable, to 7cm long; flowers in pairs, creamy white club moss
Phyllocladus aspleniifolius	е	celerytop pine	conifer tree to 20m; "leaves" diamond shaped, thick, often lobed; female flowers fleshy in groups attached to "leaves", white & red
Pimelea cinerea	е	grey riceflower	shrub to 2m high; leaves opposite, elliptical, to 3cm long, flat; flowers white, tubular, in few-flowered, terminal heads
Pimelea drupacea		cherry riceflower	shrub to 3m;
Pittosporum bicolor		cheesewood	tree to 8m, conical habit; leaves dark green above, lighter below; flowers bell-shaped, brown & yellow
Pomaderris apetala		common dogwood	shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched clusters.
Prionotes cerinthoides	е	climbing heath	climbing shrub to 10m high; leaves to 14mm long, oblong, margins serrated; flowers pink/red, tubular, to 25mm long
Prostanthera lasianthos		christmas bush	shrub/small tree to 5m high; leaves to 8cm long, lance-shaped, dark green above, lighter under; flowers white to pale lilac, purple spots In throat, in showy clusters
Richea dracophylla	е	pineapple candleheath	shrub to 5 m; leaves long and tapering, the base sheathing the stem; flowers creamy white spikes to 25 cm, bracts fall as flowers mature.
Rumohra adiantiformis		leathery shieldfern	
Sticherus tener		silky fanfern	
Tasmannia lanceolata		mountain pepper	tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black
Tmesipteris obliqua		common forkfern	
Westringia angustifolia	E	narrowleaf westringia	shrub with narrow revolute leaves. Distinguished by (white) flowers having acuminate sepals



PLANT LIST Murry's Track, Bruny Island

Created ??

Updated 24-Nov-23 By Kay Geeves

Goto List



GJ Acacia melanoxylon

blackwood

tree to 30m; leaves with parallel veins; round flower heads



GJ Acacia riceana

arching wattle

shrub/tree to 6 m; phyllodes clustered, to 3 cm long with sharp point; flowers yellow in spikes.



RW <u>Anodopetalum biglandulosum</u>

horizontal

shrub, or tree to 15m high; trunk usually bends over; leaves opposite, narrow elliptical, to 6cm long; flowers 4-petalled, cream/pale green



GJ Aristotelia peduncularis

heartberry

straggling shrub to 1.5m; leaves to 70mm. lance-shaped, edges serrated; flowers white, bell-shaped,petals three-toothed; fruit heart shaped, white, red or black



GJ Asplenium bulbiferum

mother spleenwort



GJ Atherosperma moschatum

sassafras

tree to 25m; leaves to 8cm elliptical, margins often toothed; flowers white, in pairs, pendulous, 4-petalled. Male and female flowers on same or separate trees



GJ Bedfordia salicina

tasmanian blanketleaf shrub/tree to 5m; leaves dark green above silver hairy below; yellow daisy flowers in groups



GJ Billardiera longiflora

purple appleberry

vine to 3m, clambers over other plants; leaves lance-like to 3cm; flowers tubular 2.5cm, yellow/green; fruit blue, sometimes white



GJ <u>Blechnum cartilagineum</u>

soft water fern Large fern in creeks in N and W, fronds tinged red, fertile fronds similar to leaves (distinguishing)



GJ Blechnum wattsii

hard waterfern fronds dark green, divided only once, fertile fronds different



GJ Cassinia aculeata

dolly bush shrub to 3 m; large clusters of small white flowers



GJ Cenarrhenes nitida

native plum shrub/small tree to 8m; leaves to 15cm, edges toothed; flowers small, white in spikes



GJ Clematis aristata

mountain clematis climber; leaves multi-lobed; large white star-like flowers



GJ Coprosma quadrifida

native currant erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange

Cyathea australis



RS Cyathodes glauca

purple cheeseberry shrub to 3m; leaves pointed, to 5cm, green above whitish below; flowers tubular, white; fruit fleshy, white to red



BC Dianella tasmanica

forest flaxlily perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry



GJ Dicksonia antarctica

soft treefern
Tall fern, trunks to several metres tall



GJ Drymophila cyanocarpa

turquoise berry



GJ Eucalyptus delegatensis

gumtopped stringybark tree to 50m; stringy bark on most of trunk, branches white; leaves asymmetrical.



GJ Eucalyptus globulus

tasmanian bluegum tree to 70m high, trunk rough at base, smooth, greyish/white above; leaves lance-shaped to 30cm long; fruit large, ribbed



GJ Eucalyptus obliqua

stringybark tree to 90m; trunk & branches covered in soft, ridged bark; leaves very unsymmetrical;



GJ Exocarpos cupressiformis

common native-cherry tree; conifer-like foliage; edible orange coloured fruit



GJ Gahnia grandis

cutting grass tufted perennial with narrow grass-like leaves with sharp, rough edges; flowers in spikes on culms to 3m



RS Gaultheria hispida

copperleaf snowberry shrub to 1m; leaves dark green, edges serrated; flowers urn shaped, white/pink; fruit white, fleshy



GJ Gleichenia dicarpa

pouched coralfern



GJ Goodenia ovata

hop native-primrose shrub to 2m; leaves bright green, to 6cm, edges toothed; flowers yellow with petals in two groups

Grammitis sp.

Hymenophyllum sp.



RW <u>Leptecophylla juniperina</u>

cheeseberry not in Tas



GJ Lomatia polymorpha

mountain guitarplant shrub to 4m high; leaves usually narrow lance-shaped, hairy under; flowers white, in terminal racemes; fruit woody,



BC Lycopodium deuterodensum

conifer clubmoss



GJ Melaleuca pallida

yellow bottlebrush, leathery lanceolate leaves



GJ Melaleuca squarrosa

scented paperbark shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers yellow/cream in terminal bottle brushes



GJ Microsorum pustulatum

kangaroo fern

Climbing fern on rocks or trees; fronds erect to pendant, widely separated; long creeping fleshy grey-green rooting stem



GJ Monotoca elliptica

tree broomheath

Shrub to 5m; leaves slight-convex, oblong to 25mm, dark green above white below; flowers white tubular in clusters towards branch ends



Muehlenbeckia gunnii

forest lignum

woody twining climber to 10m high; leaves arrow-shaped, to 7cm long; flowers to 9mm diam, in groups of 2-6



RS Nothofagus cunninghamii

myrtle beech

tree to 50m; leaves roundish, new growth red; flowers inconspicuous





epiphytic fern, fronds a crowded tuft. Rrhizome short. Stem short and winged, scaly at base.



GJ Olearia argophylla

musk daisybush shrub/tree to 15 m; large leaves with silver back; flowers in large crowded heads.



RS Olearia persoonioides

geebung daisybush shrub to 3m; leaves elliptical to 5cm, shiny above, hairy below; flower heads 3 to 5 on single stem



GJ Olearia phlogopappa

dusty daisybush shrub to 1.5m; leaves hairy under, margins somewhat toothed; white daisy flowers to 2 cm diam.



GJ Olearia phlogopappa

dusty daisybush shrub to 1.5m; leaves hairy under, margins somewhat toothed; white daisy flowers to 2 cm diam.



GJ Orites diversifolius

variable orites shrub to 2m; leaves variable, to 7cm long; flowers in pairs, creamy white

Phlegmariurus varius

club moss



GJ Phyllocladus aspleniifolius

celerytop pine conifer tree to 20m; "leaves" diamond shaped, thick, often lobed; female flowers fleshy in groups attached to "leaves", white & red



GJ Pimelea cinerea

grey riceflower shrub to 2m high; leaves opposite, elliptical, to 3cm long, flat; flowers white, tubular, in few-flowered, terminal heads



BC Pimelea drupacea

cherry riceflower shrub to 3m;



AS Pittosporum bicolor

cheesewood

tree to 8m, conical habit; leaves dark green above, lighter below; flowers bell-shaped, brown & yellow



GJ Pomaderris apetala

common dogwood

shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched clusters.



GJ Prionotes cerinthoides

climbing heath

climbing shrub to 10m high; leaves to 14mm long, oblong, margins serrated; flowers pink/red, tubular, to 25mm long



GJ Prostanthera lasianthos

christmas bush

shrub/small tree to 5m high; leaves to 8cm long, lance-shaped, dark green above, lighter under; flowers white to pale lilac, purple spots In throat, in showy clusters



BC Richea dracophylla

pineapple candleheath

shrub to 5 m; leaves long and tapering, the base sheathing the stem; flowers creamy white spikes to 25 cm, bracts fall as flowers mature.



GJ Rumohra adiantiformis

leathery shieldfern



GJ <u>Sticherus tener</u>

silky fanfern



RS <u>Tasmannia lanceolata</u>

mountain pepper tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black



GJ Tmesipteris obliqua

common forkfern



GJ Westringia angustifolia

narrowleaf westringia shrub with narrow revolute leaves. Distinguished by (white) flowers having acuminate sepals