

NW Coast\$



**PLANT LIST**

**North West Coast, Blythe Heads West to Lillico Beach**

Created 12-Jun-13

Updated 11-May-23

By M Kinsey, Dick Burns, Jill Roberts, R Skabo

[Goto Photos](#)

Scientific name	status	Common	Description
<a href="#">Acacia dealbata</a>		silver wattle	tree with grey green feathery leaves; golden flowers
<a href="#">Acacia melanoxylon</a>		blackwood	tree to 30m; leaves with parallel veins; round flower heads
<a href="#">Acacia mucronata</a>		caterpillar wattle	shrub/tree to 10m; leaves leathery, narrow, to 15cm; flowers cream/yellow in spikes
<a href="#">Acacia myrtifolia</a>		redstem wattle	shrub to 2m; stems red; leaves to 5cm, leathery, single vein; flowers cream in spherical heads
<a href="#">Acacia stricta</a>		hop wattle	shrub with ridged stems; leaves grey-green, to 10cm long; paired balls of pale yellow flowers in leaf axils
<a href="#">Acacia suaveolens</a>		sweet wattle	shrub to 2 m; phyllodes blue/green to 15 cm; flowers round, cream, in axils, sweet scented.
<a href="#">Acacia terminalis</a>		sunshine wattle	shrub to 4m high; leaves feathery; flowers in bunches of spherical heads
<a href="#">Acacia verticillata</a>		prickly moses	shrub/tree to 6 m; phyllodes in whorls, sharp; flowers yellow, in spikes.
<a href="#">Acaena novae-zelandiae</a>		common buzzy	herb; leaves divided; balls of flower/seeds with hooks
<a href="#">Acrotriche serrulata</a>		ants delight	dark green low shrub; prickly leaves; flowers underneath
<a href="#">Allocasuarina littoralis</a>		black sheoak	tree; fruit like small pine cones; segmented needle-like "leaves"
<a href="#">Allocasuarina verticillata</a>		drooping sheoak	tree with "leaves" hanging down or drooping
<a href="#">Alyxia buxifolia</a>		seabox	shrub to 2.5m; leaves tough, dark green, glossy, to 3.5cm; flowers white, 5 petals; fruit orange to red
<a href="#">Amperea xiphoclada</a>		broom spurge	almost leafless with angles stems, forms clumps resembling grass tussock
<a href="#">Aotus ericoides</a>		golden pea	shrub to 1.5m; leaves narrow to 12mm long, margins downrolled; yellow pea flower with red throat
<a href="#">Apium prostratum</a>		creeping sea-celery	perennial herb; stems ridged; leaves to 6cm, deeply divided; flowers in dense heads, white, small
<a href="#">Atriplex cinerea</a>		grey saltbush	shrub to 1.5m high; leaves white/grey, scaly, oblong to 6cm long; flowers unisexual, in dense clusters
<a href="#">Banksia marginata</a>		silver banksia	tree with typical banksia cones or yellow flower spikes
<a href="#">Bursaria spinosa</a>		prickly box	small tree; distinctive "purses" (seed cases); white starry flowers

NW Coast\$

<a href="#"><i>Carpobrotus rossii</i></a>	native pigface	herb, prostrate, spreading; leaves fleshy, triangular x-section; flowers large, pink/purple, white centres
<a href="#"><i>Cassinia aculeata</i></a>	dolly bush	shrub to 3 m; large clusters of small white flowers
<a href="#"><i>Cassytha melantha</i></a>	large dodderlaurel	"monkey twine", parasitic on other plants
<a href="#"><i>Clematis aristata</i></a>	mountain clematis	climber; leaves multi-lobed; large white star-like flowers
<a href="#"><i>Coprosma quadrifida</i></a>	native currant	erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange
<a href="#"><i>Dichondra repens</i></a>	kidneyweed	creeping herb, forming patches; kidney shaped leaves; tiny green/white flowers
<a href="#"><i>Einadia nutans</i></a>	climbing saltbush	herb to 60cm high; leaves lance-shaped, to 25mm long; flowers in groups, small, green turning red; fruit red or orange
<a href="#"><i>Epacris impressa</i></a>	common heath	shrub; white, red or pink tubular flowers with dimples at base
<a href="#"><i>Eucalyptus amygdalina</i></a>	e black peppermint	tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+
<a href="#"><i>Eucalyptus globulus</i></a>	tasmanian bluegum	tree to 70m high, trunk rough at base, smooth, greyish/white above; leaves lance-shaped to 30cm long; fruit large, ribbed
<a href="#"><i>Eucalyptus viminalis</i></a>	white gum	tree to 50 m, bark rough at base then smooth; leaves green; buds 3
<a href="#"><i>Exocarpos cupressiformis</i></a>	common native-cherry	tree; conifer-like foliage; edible orange coloured fruit
<a href="#"><i>Glycine clandestina</i></a>	twining glycine	climber with trifoliolate leaves & purple flowers
<a href="#"><i>Goodenia ovata</i></a>	hop native-primrose	shrub to 2m; leaves bright green, to 6cm, edges toothed; flowers yellow with petals in two groups
<a href="#"><i>Goodenia radicans</i></a>	shiny swamp mat	creeping herb, rooting at leaf nodes and with 5 petal white, fan flowers
<a href="#"><i>Goodia lotifolia</i></a>	smooth goldentip	shrub to 4m high; leaves with 3 leaflets;
<a href="#"><i>Hibbertia procumbens</i></a>	spreading guineaflower	prostrate shrub spreading to 30cm; leaves to 2cm long, edges rolled under; flowers large, yellow very numerous
<a href="#"><i>Hibbertia sericea</i></a>	silky guineaflower	shrub to 60cm high; leaves slightly hairy above, densely hairy uncer; flowers bright yellow, petals notched at tip
<a href="#"><i>Indigofera australis</i></a>	native indigo	shrub to 1.5m high; leaves feather-like, to 10 leaflets; pea flowers pink/mauve, crowded along branches
<a href="#"><i>Kennedia prostrata</i></a>	running postman	herb; prostrate & sprawling; leaves with 3 leaflets; crimson pea flower
<a href="#"><i>Leptomeria drupacea</i></a>	erect currantbush	Much branched shrub to 2 m; leaves are tiny scales on stem; flowers very small, cream; fruit fleshy, reddish.

NW Coast\$

<a href="#"><i>Leptospermum laevigatum</i></a>	coast teatree	shrub/tree to 8m; leaves grey green, to 30mm, blunt; flowers white/pale pink, to 2cm diam, 5 petals; fruit small woody capsules with 6-11 slits
<a href="#"><i>Leptospermum scoparium</i></a>	common teatree	shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody
<a href="#"><i>Leucopogon australis</i></a>	spike beardheath	shrub to 2m; leaves lance-shaped to 4cm; flowers white, tubular, bearded inside
<a href="#"><i>Leucopogon parviflorus</i></a>	coast beardheath	shrub to 3m; leaves to 3cm, blunt pointed, margins rolled down; flowers white, tubular, bearded inside
<a href="#"><i>Lobelia anceps</i></a>	angled lobelia	perennial herb, prostrate, scrambling; stem with flattened ridges; flowers small, blue, two-lipped
<a href="#"><i>Melaleuca ericifolia</i></a>	coast paperbark	tree; white papery bark, profuse white flowers in summer
<a href="#"><i>Melicytus dentatus</i></a>	spiky violetbush	
<a href="#"><i>Muehlenbeckia gunnii</i></a>	forest lignum	woody twining climber to 10m high; leaves arrow-shaped, to 7cm long; flowers to 9mm diam, in groups of 2-6
<a href="#"><i>Myoporum insulare</i></a>	common boobialla	coastal shrub/tree to 3 m; leaves elliptic to 8 cm; flowers 5 white petals with magenta spots.
<a href="#"><i>Notelaea ligustrina</i></a>	native olive	small tree; leaves lance-shaped to 5cm; small green to purple fruit
<a href="#"><i>Olearia argophylla</i></a>	musk daisybush	shrub/tree to 15 m; large leaves with silver back; flowers in large crowded heads.
<a href="#"><i>Olearia lirata</i></a>	forest daisybush	shrub to 5m; numerous white daisy flowers at ends of branches
<a href="#"><i>Olearia ramulosa</i></a>	twiggy daisybush	shrub to 2 m; leaves small with rolled edges; flowers white, numerous with 6-10 ray florets.
<a href="#"><i>Ozothamnus ferrugineus</i></a>	tree everlastingbush	shrub to 5m; leaves crowded variable, 2-7cm; small white daisy flowers in compact terminal heads
<a href="#"><i>Ozothamnus thyrsoides</i></a>	arching everlastingbush	shrub to 3m; leaves narrow linear to 5cm, margins rolled under; flowers white, clustered at ends of short branches along top of stem
<a href="#"><i>Pelargonium australe</i></a>	southern storksbill	herb growing in rock crevices; leaves kidney-shaped; flowers pink/white
<a href="#"><i>Pimelea humilis</i></a>	dwarf riceflower	dwarf shrub to 20cm tall; white flowers grouped in terminal heads
<a href="#"><i>Pimelea linifolia</i></a>	slender riceflower	
<a href="#"><i>Pomaderris apetala</i></a>	common dogwood	shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched clusters.
<a href="#"><i>Pomaderris elliptica</i></a>	yellow dogwood	shrub/tree to 8 m; leaves to 10 cm, smooth, rusty under; flowers yellow, clustered.
<a href="#"><i>Pultenaea daphnoides</i></a>	heartleaf bushpea	woody shrub to 2.5 m; leaves wedge-shaped with sharp point at end of central vein; golden pea flowers in terminal heads.
<a href="#"><i>Pultenaea juniperina</i></a>	prickly beauty	shrub to 2.5m; leaves to 12mm, sharp pointed; golden pea flowers at ends of branches

NW Coast\$

<a href="#"><i>Rhagodia candolleana</i></a>	coastal saltbush	scrambling shrub to 2 m; leaves fleshy, oval to arrow shaped; flowers terminal clusters followed by flat dark red fruits.
<a href="#"><i>Rubus parvifolius</i></a>	native raspberry	straggly, prickly shrub to 1m high; leaves with 3 leaflets, green above, white under; flowers pink; fruit a small red raspberry
<a href="#"><i>Sambucus gaudichaudiana</i></a>	white elderberry	shrub to 2m high; leaves with many pairs of opposite leaflets along a ridged stalk; flowers cream/white, in much branched bunches; fruit white, edible
<a href="#"><i>Samolus repens</i></a>	creeping brookweed	herb spreading by rooting; leaves fleshy, spoon-shaped, to 3cm; flowers white/pink, 5 petals
<a href="#"><i>Sarcocornia blackiana</i></a>	sampfire	
<a href="#"><i>Sarcocornia quinqueflora</i></a>	beaded glasswort	succulent herb to 15 cm; leaves fused around stem; flowers hidden.
<a href="#"><i>Senecio linearifolius</i></a>	common fireweed	perennial herb to 2m; leaves narrow linear; yellow daisy flowers in clusters
<a href="#"><i>Senecio pinnatifolius</i></a>	common coast groundsel	very variable perennial herb to 60 cm; leaves fleshy and divided; flowers yellow daisies often in loose heads. There are 5 varieties.
<a href="#"><i>Solanum laciniatum</i></a>	kangaroo apple	shrub; lobed leaves; large purple flowers; yellow/orange fruit
<a href="#"><i>Stellaria pungens</i></a>	prickly starwort	perennial herb, scrambling over rocks or other plants; leaves to 10 mm long, sharp pointed; flowers solitary, on stalks, 5 white, deeply divided petals (look like 10 narrow petals)
<a href="#"><i>Stylidium graminifolium</i></a>	narrowleaf triggerplant	herb to 50cm; leaves narrow, strap-like; flowers pink, four-petalled, in spikes
<a href="#"><i>Styphelia ericoides</i></a>	pink beardheath	erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside
<a href="#"><i>Styphelia humifusa</i></a>	native cranberry	ground cover; prickly leaves; red tube flowers in winter
<a href="#"><i>Suaeda australis</i></a>	southern seablite	shrub to 80cm high; leaves linear, plano-convex; flowers green, 3mm in diam. In bunches of 3-9
<a href="#"><i>Tetragonia implexicoma</i></a>	bower spinach	sprawling undershrub; leaves diamond shaped, succulent to 4 cm; flowers yellow with 4 petals, on long stems.
<a href="#"><i>Veronica gracilis</i></a>	slender speedwell	herb to 10cm; leaves narrow lance-shaped, to 3.5cm; flowers blue, four petalled
<a href="#"><i>Xanthosia ternifolia</i></a>	shrubby crossherb	small shrub; leaves 3-lobed, hairy; flowers tiny, in groups
<a href="#"><i>Pteridium esculentum</i></a>	bracken	common fern to 2.5m tall; leathery much divided frond
<a href="#"><i>Acianthus pusillus</i></a>	small mosquito-orchid	
<a href="#"><i>Chiloglottis reflexa</i></a>	autumn bird-orchid	orchid with pair of opposite, elliptical leaves; flowers brown to pink, on stalk to 10cm high
<a href="#"><i>Dianella revoluta</i></a>	flax lily	strap-like leaves; blue & yellow flowers; blue berries, stamen tips yellow

NW Coast\$

<a href="#"><i>Dianella tasmanica</i></a>	forest flaxlily	perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry
<a href="#"><i>Ficinia nodosa</i></a>	knobby clubsedge	densely tufted rush-like sedge to 90cm; flowers/fruit in compact grey/brown globular head
<a href="#"><i>Lomandra longifolia</i></a>	sagg	tussock of strap-like leaves with notched ends; flowers in spiny clusters
<a href="#"><i>Phragmites australis</i></a>	southern reed	perennial grass, to 3m high, aquatic or in wet mud; flower head to 40cm long, brown, soft, dense
<a href="#"><i>Spinifex sericeus</i></a>	beach spinifex	perennial grass, with long, prostrate, creeping stems; male flowers in hemispherical heads; female flowers in large spherical, spiky heads



## PLANT LIST

### North West Coast, Blythe Heads West to Lilloo Beach

Created 12-Jun-13

Updated 11-May-23

By M Kinsey, Dick Burns, Jill Roberts, R Skabo

[Goto List](#)



GJ [\*Acacia dealbata\*](#)

silver wattle

tree with grey green feathery leaves; golden flowers



GJ [\*Acacia melanoxylon\*](#)

blackwood

tree to 30m; leaves with parallel veins; round flower heads



RW [\*Acacia mucronata\*](#)

caterpillar wattle

shrub/tree to 10m; leaves leathery, narrow, to 15cm; flowers cream/yellow in spikes



GJ [Acacia myrtifolia](#)

redstem wattle

shrub to 2m; stems red; leaves to 5cm, leathery, single vein;  
flowers cream in spherical heads



GJ [Acacia stricta](#)

hop wattle

shrub with ridged stems; leaves grey-green, to 10cm long;  
paired balls of pale yellow flowers in leaf axils



GJ [Acacia suaveolens](#)

sweet wattle

shrub to 2 m; phyllodes blue/green to 15 cm; flowers round,  
cream, in axils, sweet scented.



GJ [Acacia terminalis](#)

sunshine wattle

shrub to 4m high; leaves feathery; flowers in bunches of  
spherical heads



GJ [Acacia verticillata](#)

subsp. verticillata

prickly moses

shrub/tree to 6 m; phyllodes in whorls, sharp; flowers yellow, in  
spikes.



RS [\*Acaena novae-zelandiae\*](#)

common buzzy  
herb; leaves divided; balls of flower/seeds with hooks



GJ [\*Acrotriche serrulata\*](#)

ants delight  
dark green low shrub; prickly leaves; flowers underneath



RS? [\*Allocasuarina littoralis\*](#)

black sheoak  
tree; fruit like small pine cones; segmented needle-like  
"leaves"



GJ [\*Allocasuarina verticillata\*](#)

drooping sheoak  
tree with "leaves" hanging down or drooping



GJ [\*Alyxia buxifolia\*](#)

seabox  
shrub to 2.5m; leaves tough, dark green, glossy, to 3.5cm;  
flowers white, 5 petals; fruit orange to red





GJ [\*Amperea xiphoclada\*](#)

broom spurge  
almost leafless with angles stems, forms clumps resembling  
grass tussock



GJ [\*Aotus ericoides\*](#)

golden pea  
shrub to 1.5m; leaves narrow to 12mm long, margins  
downrolled; yellow pea flower with red throat



GJ [\*Apium prostratum\*](#)

creeping sea-celery  
perennial herb; stems ridged; leaves to 6cm, deeply divided;  
flowers in dense heads, white, small



GJ [\*Atriplex cinerea\*](#)

grey saltbush  
shrub to 1.5m high; leaves white/grey, scaly, oblong to 6cm  
long; flowers unisexual, in dense clusters



GJ [\*Banksia marginata\*](#)

silver banksia  
tree with typical banksia cones or yellow flower spikes



GJ [Bursaria spinosa](#)

prickly box  
small tree; distinctive "purses" (seed cases); white starry flowers



GJ [Carpobrotus rossii](#)

native pigface  
herb, prostrate, spreading; leaves fleshy, triangular x-section;  
flowers large, pink/purple, white centres




GJ [Cassinia aculeata](#)

dolly bush  
shrub to 3 m; large clusters of small white flowers




GJ [Cassytha melantha](#)

large dodderlaurel  
"monkey twine", parasitic on other plants




GJ [Clematis aristata](#)

mountain clematis  
climber; leaves multi-lobed; large white star-like flowers



GJ [\*Coprosma quadrifida\*](#)

native currant  
erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange



GJ [\*Dichondra repens\*](#)

kidneyweed  
creeping herb, forming patches; kidney shaped leaves; tiny green/white flowers



GJ [\*Einadia nutans\*](#)

subsp. nutans  
climbing saltbush  
herb to 60cm high; leaves lance-shaped, to 25mm long;  
flowers in groups, small, green turning red; fruit red or orange



GJ [\*Epacris impressa\*](#)

common heath  
shrub; white, red or pink tubular flowers with dimples at base



GJ [\*Eucalyptus amygdalina\*](#)

black peppermint  
tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+



GJ *Eucalyptus globulus*

tasmanian bluegum

tree to 70m high, trunk rough at base, smooth, greyish/white above; leaves lance-shaped to 30cm long; fruit large, ribbed



GJ *Eucalyptus viminalis*

white gum

tree to 50 m, bark rough at base then smooth; leaves green; buds 3



GJ *Exocarpos cupressiformis*

common native-cherry

tree; conifer-like foliage; edible orange coloured fruit



GJ *Glycine clandestina*

twining glycine

climber with trifoliate leaves & purple flowers



GJ *Goodenia ovata*

hop native-primrose

shrub to 2m; leaves bright green, to 6cm, edges toothed; flowers yellow with petals in two groups



GJ *Goodenia radicans*

shiny swamp mat  
creeping herb, rooting at leaf nodes and with 5 petal white, fan  
flowers



GJ *Goodia lotifolia*

smooth goldentip  
shrub to 4m high; leaves with 3 leaflets;



RS *Hibbertia procumbens*

spreading guineaflower  
prostrate shrub spreading to 30cm; leaves to 2cm long, edges  
rolled under; flowers large, yellow very numerous



GJ *Hibbertia sericea*

silky guineaflower  
shrub to 60cm high; leaves slightly hairy above, densely hairy  
uncer; flowers bright yellow, petals notched at tip



RW *Indigofera australis*

native indigo  
shrub to 1.5m high; leaves feather-like, to 10 leaflets; pea  
flowers pink/mauve, crowded along branches



GJ [\*Kennedia prostrata\*](#)

running postman  
herb; prostrate & sprawling; leaves with 3 leaflets; crimson pea flower



GJ [\*Leptomeria drupacea\*](#)

erect currantbush  
Much branched shrub to 2 m; leaves are tiny scales on stem; flowers very small, cream; fruit fleshy, reddish.



GJ [\*Leptospermum laevigatum\*](#)

coast teatree  
shrub/tree to 8m; leaves grey green, to 30mm, blunt; flowers white/pale pink, to 2cm diam, 5 petals; fruit small woody capsules with 6-11 slits



GJ [\*Leptospermum scoparium\*](#)

common teatree  
shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody



GJ [\*Leucopogon australis\*](#)

spike beardheath  
shrub to 2m; leaves lance-shaped to 4cm; flowers white, tubular, bearded inside



GJ [\*Leucopogon parviflorus\*](#)

coast beardheath  
shrub to 3m; leaves to 3cm, blunt pointed, margins rolled down; flowers white, tubular, bearded inside



GJ [\*Lobelia anceps\*](#)

angled lobelia  
perennial herb, prostrate, scrambling; stem with flattened ridges; flowers small, blue, two-lipped



GJ [\*Melaleuca ericifolia\*](#)

coast paperbark  
tree; white papery bark, profuse white flowers in summer



GJ [\*Melicytus dentatus\*](#)

spiky violetbush



[\*Muehlenbeckia gunnii\*](#)

forest lignum  
woody twining climber to 10m high; leaves arrow-shaped, to 7cm long; flowers to 9mm diam, in groups of 2-6



GJ [\*Myoporum insulare\*](#)

common boobialla  
coastal shrub/tree to 3 m; leaves elliptic to 8 cm; flowers 5  
white petals with magenta spots.



GJ [\*Notelaea ligustrina\*](#)

native olive  
small tree; leaves lance-shaped to 5cm; small green to purple  
fruit



GJ [\*Olearia argophylla\*](#)

musk daisybush  
shrub/tree to 15 m; large leaves with silver back; flowers in  
large crowded heads.



GJ [\*Olearia lirata\*](#)

forest daisybush  
shrub to 5m; numerous white daisy flowers at ends of  
branches



GJ [\*Olearia ramulosa\*](#)

twiggy daisybush  
shrub to 2 m; leaves small with rolled edges; flowers white,  
numerous with 6-10 ray florets.





RW [\*Ozothamnus ferrugineus\*](#)

tree everlastingbush  
shrub to 5m; leaves crowded variable, 2-7cm; small white  
daisy flowers in compact terminal heads



GJ [\*Ozothamnus thyrsoides\*](#)

arching everlastingbush  
shrub to 3m; leaves narrow linear to 5cm, margins rolled  
under; flowers white, clustered at ends of short branches along  
top of stem



GJ [\*Pelargonium australe\*](#)

southern storksbill  
herb growing in rock crevices; leaves kidney-shaped; flowers  
pink/white



GJ [\*Pimelea humilis\*](#)

dwarf riceflower  
dwarf shrub to 20cm tall; white flowers grouped in terminal  
heads



GJ [\*Pimelea linifolia\*](#)

slender riceflower



GJ *Pomaderris apetala*

common dogwood  
shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched clusters.



GJ *Pomaderris elliptica*

yellow dogwood  
shrub/tree to 8 m; leaves to 10 cm, smooth, rusty under; flowers yellow, clustered.




GJ *Pultenaea daphnoides*

heartleaf bushpea  
woody shrub to 2.5 m; leaves wedge-shaped with sharp point at end of central vein; golden pea flowers in terminal heads.



RW *Pultenaea juniperina*

prickly beauty  
shrub to 2.5m; leaves to 12mm, sharp pointed; golden pea flowers at ends of branches



GJ *Rhagodia candolleana*

subsp. candolleana  
coastal saltbush  
scrambling shrub to 2 m; leaves fleshy, oval to arrow shaped; flowers terminal clusters followed by flat dark red fruits.



GJ [\*Rubus parvifolius\*](#)

native raspberry  
straggly, prickly shrub to 1m high; leaves with 3 leaflets, green above, white under; flowers pink; fruit a small red raspberry



GJ [\*Sambucus gaudichaudiana\*](#)

white elderberry  
shrub to 2m high; leaves with many pairs of opposite leaflets along a ridged stalk; flowers cream/white, in much branched bunches; fruit white, edible



RW [\*Samolus repens\*](#)

creeping brookweed  
herb spreading by rooting; leaves fleshy, spoon-shaped, to 3cm; flowers white/pink, 5 petals

GJ [\*Sarcocornia blackiana\*](#)

sampfire



GJ [\*Sarcocornia quinqueflora\*](#)

beaded glasswort  
succulent herb to 15 cm; leaves fused around stem; flowers hidden.



GJ *Senecio linearifolius*

common fireweed  
perennial herb to 2m; leaves narrow linear; yellow daisy  
flowers in clusters



RS *Senecio pinnatifolius*

common coast groundsel  
very variable perennial herb to 60 cm; leaves fleshy and  
divided; flowers yellow daisies often in loose heads. There are  
5 varieties.



GJ *Solanum laciniatum*

kangaroo apple  
shrub; lobed leaves; large purple flowers; yellow/orange fruit



GJ *Stellaria pungens*

prickly starwort  
perennial herb, scrambling over rocks or other plants; leaves  
to 10 mm long, sharp pointed; flowers solitary, on stalks, 5  
white, deeply divided petals (look like 10 narrow petals)



BC *Stylidium graminifolium*

narrowleaf triggerplant  
herb to 50cm; leaves narrow, strap-like; flowers pink, four-  
petalled, in spikes



GJ *Styphelia ericoides*

pink beardheath  
erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside



GJ *Styphelia humifusa*

native cranberry  
ground cover; prickly leaves; red tube flowers in winter



GJ *Suaeda australis*

southern seablite  
shrub to 80cm high; leaves linear, plano-convex; flowers green, 3mm in diam. In bunches of 3-9



GJ *Tetragonia implexicoma*

bower spinach  
sprawling undershrub; leaves diamond shaped, succulent to 4 cm; flowers yellow with 4 petals, on long stems.



GJ *Veronica gracilis*

slender speedwell  
herb to 10cm; leaves narrow lance-shaped, to 3.5cm; flowers blue, four petalled



GJ [\*Xanthosia ternifolia\*](#)

shrubby crossherb  
small shrub; leaves 3-lobed, hairy; flowers tiny, in groups



GJ [\*Pteridium esculentum\*](#)

subsp. *esculentum*  
bracken  
common fern to 2.5m tall; leathery much divided frond



GJ [\*Acianthus pusillus\*](#)

small mosquito-orchid



GJ [\*Chiloglottis reflexa\*](#)

autumn bird-orchid  
orchid with pair of opposite, elliptical leaves; flowers brown to pink, on stalk to 10cm high



GJ [\*Dianella revoluta\*](#)

flax lily  
strap-like leaves; blue & yellow flowers; blue berries, stamen tips yellow



BC *Dianella tasmanica*

forest flaxlily

perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry



GJ *Ficinia nodosa*

knobby clubsedge

densely tufted rush-like sedge to 90cm; flowers/fruit in compact grey/brown globular head



GJ *Lomandra longifolia*

sagg

tussock of strap-like leaves with notched ends; flowers in spiny clusters



GJ *Phragmites australis*

southern reed

perennial grass, to 3m high, aquatic or in wet mud; flower head to 40cm long, brown, soft, dense



GJ *Spinifex sericeus*

beach spinifex

perennial grass, with long, prostrate, creeping stems; male flowers in hemispherical heads; female flowers in large spherical, spiky heads