| | | Ι | List |
|---------------------------------|-------|---|--|
| and the smania Inc | | PLANT LIST Upper Mersey ar Created Updated By <u>Goto Photos</u> | nd Forth 12-Jun-13 10-May-23 APST N-Group, Dick Burns. Descriptions, R Skabo |
| Scientific name | statu | Common Name | Description |
| Phyllocladus aspleniifolius | e | celerytop pine | conifer tree to 20m; "leaves" diamond shaped, thick, often lobed; female flowers fleshy in groups attached to"leaves", white & red |
| Abrotanella forsteroides | е | tasmanian cushionplant | hard, bright green cushion plant; tiny white flowers protrude |
| <u>Acacia dealbata</u> | | silver wattle | tree with grey green feathery leaves; golden flowers |
| <u>Acacia melanoxylon</u> | | blackwood | tree to 30m; leaves with parallel veins; round flower |
| <u>Acacia mucronata</u> | | caterpillar wattle | bree! Shrub/small tree; leaves narrow linear to 15cm long with short narrow point; yellow flowers in spikes |
| <u>Acaena montana</u> | е | mountain buzzy | prostrate herb; spherical flower/seed heads with |
| <u>Acaena novae-zelandiae</u> | | common buzzy | herb; eaves divided; balls of flower/seeds with hooks |
| <u>Acaena x anserovina</u> | | hybrid | |
| <u>Acrothamnus montanus</u> | | sheapseafdheath | shrub to 60m; blunt leaves to 10mm; white flowers hairless inside |
| <u>Allocasuarina monilifera</u> | е | necklace sheoak | shrub to 4m; leaves like tiny teeth aroung joints in neele-like branchlets; fruit, cylindrical cones with |
| <u>Almaleea subumbellata</u> | | wiry bushpea | pea flowers in bunches at ends of stems |
| <u>Amperea xiphoclada</u> | | broom spurge | almost leafless with angles stems, forms clumps resembling grass tussock |
| <u>Aotus ericoides</u> | | golden pea | shrub to 1.5m; leaves narrow to 12mm long, margins downrolled; yellow pea flower with red throat |
| <u>Aristotelia peduncularis</u> | е | heartberry | straggling shrub to 1.5m; leaves to 70mm. lance- shaped, edges serrated; flowers white, bell- shaped,petals three-toothed; fruit heart shaped, white |
| <u>Baeckea gunniana</u> | | alpine heathmyrtle | ted or black shiub to 2m; leaves to 5mm, oblong; flowers 5mm diam; white petals, red centre |
| <u>Banksia marginata</u> | | silver banksia | tree with typical banksia cones or yellow flower spikes |
| <u>Bauera rubioides</u> | | wiry bauera | sprawling wiry shrub; leaves opposite, each with three leaflets; flowers white to pink |
| <u>Bellendena montana</u> | е | mountain rocket | shrub to 1m; leaves to 4cm, variable shape; flowers white in broad spikes; fruit flat, bright red |
| <u>Blandfordia punicea</u> | е | christmas bells | lily-like herb; leaves strap-like to 1.5m; flowers tubular, red/orange externally yellow internally to |
| <u>Boronia pilosa</u> | | hairy boronia | ទាំកិលិយិមេហិទាំនា; leaves divided with 3-7 leaflets; flowers white to pink with four petals |
| <u>Bossiaea riparia</u> | | leafless bossia | leafless shrub with flattened branches; yellow and red pea flowers |
| <u>Cassinia aculeata</u> | | dolly bush | shrub to 3 m; large clusters of small white flowers |
| <u>Coprosma hirtella</u> | | coffeeberry | shrub to 2m; leaves dark green, leathery to 6cm long,pointed tip; fruit red/black, fleshy |
| <u>Coprosma nitida</u> | | mountain currant | shrub to 2m; leaves small elliptical; flowers small; fruit spherical, orange/red |
| <u>Coronidium scorpioides</u> | | curling | herb with single golden daisy flower heads on long |
| | | everlasting Pa | stems age 1 |

| | | 1 | LISt |
|---------------------------------|---|----------------------------|---|
| Correa lawrenceana | е | mountain correa | shrub/small tree to 4m, branches hairy; flowers green/yellow, tubular to 3cm long |
| <u>Daviesia latifolia</u> | | hop bitterpea | shrub; broad leaves with obvious venation; gold & brown pea flowers |
| <u>Epacris gunnii</u> | | coral heath | shrub to 80 cm; leaves heart shaped, prickly; white tube flowers |
| <u>Epacris impressa</u> | | common heath | shrub; white, red or pink tubular flowers with dimples at base |
| <u>Epacris lanuginosa</u> | | swamp heath | erect narrow shrub to 1.5m; leaves narrow lance- shaped with sharp point; flowers white, tubular in |
| <u>Epacris moscaliana</u> | е | seepage heath | ទៅដេចស្រែ 1.5m high; leaves to 5mm long, ovate, margins thickened; flowers white, tubular |
| <u>Epacris serpyllifolia</u> | е | alpine heath | shrub to 1 m; blunt leaves to 3 mm long; white tube flowers |
| <u>Eucalyptus amygdalina</u> | е | black peppermint | tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+ |
| <u>Eucalyptus coccifera</u> | е | snow peppermint | tree 9-30m tall; adult leaves lance-shaped with |
| <u>Eucalyptus delegatensis</u> | е | gumtopped stringybark | heeked5帧n; stringy bark on most of trunk, branches white; leaves asymmetrical. |
| <u>Eucryphia lucida</u> | е | leatherwood | tree to 12m; leaves green above whitish below, ends blunt; flowers with 4 rounded white petals & numerous reddish stamens |
| <u>Euphrasia striata</u> | е | shiny striped eyebright | perennial herb to 30cm, stems often purple; leaves with toothed ends; flowers white/mauve, lobes with |
| <u>Ewartia catipes</u> | е | diamond cushionherb | ନାଣହାରିମ୍ମାମିନ୍ତୁ rosette herb; leaves woolly white; flower head pink/whte at centre |
| <u>Exocarpos humifusus</u> | е | mountain native- cherry | prostrate shrub; leaf scales alternate; tiny flowers in groups; fruit dark red |
| <u>Gaultheria hispida</u> | | copperleaf snowberry | shrub to 1m; leaves dark green, edges serrated; flowers urn shaped, white/pink; fruit white, fleshy |
| <u>Gaultheria tasmanica</u> | е | tasmanian waxberry | prostrate shrub, forms mat to 30ch diam; leaves to 6mm; flowers white, tubular; fruit red, fleshy, found, |
| <u>Goodenia ovata</u> | | hop native- primrose | ያበዚያን ይሳይ 2m; leaves bright green, to 6cm, edges toothed; flowers yellow with petals in two groups |
| <u>Grevillea australis</u> | | southern | low shrub; leaves narrow sharp-pointed; flowers white |
| <u>Hakea lissosperma</u> | | ศิธิปไฟซิสิก needlebush | small tree to 6m; leaves cylindrical sharply pointed; flowers white; fruit almost round with short beak and warty surface |
| <u>Hibbertia procumbens</u> | | spreading guineaflower | prostrate shrub spreading to 30cm; leaves to 2cm long, edges rolled under; flowers large, yellow very |
| <u>Leptospermum glaucescens</u> | е | smoky teatree | 미년대양태안에 tree to 8m; leaves grey-green to 2cm; flowers white with red centres; fruit small, reddish, leathery |
| <u>Leptospermum lanigerum</u> | | woolly teatree | shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base |
| <u>Leptospermum rupestre</u> | е | mountain teatree | shrub; leaves elliptical, 8 mm long; flowers 5-petalled; fruit woody |
| <u>Leptospermum scoparium</u> | | common teatree | shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody |
| <u>Leucopogon collinus</u> | | white beardheath | shrub to 50cm; leaves with edges turned down; flowers tiny, tubular, bearded inside, in clusters at ends of branches |

List

| | | Ι | List |
|---------------------------------|---|---------------------------|--|
| <u>Leucopogon pilifer</u> | | trailing beardheath | shrub to 30cm, branches spreading, hairy; leaves narrow, pointed ends, edges turned up; flowers hairy |
| <u>Liparophyllum gunnii</u> | t | alpine marshwort | insideherb often forming submerged patches in subalpine tarns; leaves fleshy; flowers small white |
| Lomatia tinctoria | е | guitarplant | shrub; divided leaves very variable in form; white |
| <u>Monotoca empetrifolia</u> | е | mat broomheath | fብሢዋን,ግeaves sharply pointed; flowers white, bell- shaped, 2-3 together |
| <u>Monotoca submutica</u> | е | mountain broomheath | shrub to 3m; leaves to 12mm, elliptic, apex blunt, green above, white branched veins under; flowers |
| <u>Notelaea ligustrina</u> | | native olive | अभोबी सिर्फ्य सिवves lance-shaped to 5cm; small green to purple fruit |
| <u>Nothofagus cunninghamii</u> | | myrtle beech | tree to 50m; leaves roundish, new growth red; flowers inconspicuous |
| <u>Olearia erubescens</u> | | moth daisybush | shrub to 2m; leaves dark green above, lighter below, edges toothed, tips pointed; white daisy flowers, 3-6 "petals" |
| <u>Olearia phlogopappa</u> | | dusty daisybush | shrub to 1.5m; leaves hairy under, margins somewhat toothed; white daisy flowers to 2 cm diam. |
| <u>Olearia pinifolia</u> | е | prickly daisybush | shrub to 3m; leaves rigid, linear, sharp pointed, to 4cm; white daisy flowers on fine stalks, up to 6 |
| <u>Olearia tasmanica</u> | е | tasmanian daisybush | white & hairy below; white daisy flower heads 3 to 5 on single stem |
| <u>Orites acicularis</u> | е | yellow orites | shrub to 1.5m; leaves cylindrical, yellowish, sharp- pointed; flowers creamy white |
| <u>Orites revolutus</u> | е | revolute orites | shrub to 2m; leaves rolled into a cylinder; flowers in pairs, white |
| <u>Ourisia integrifolia</u> | е | mountain whitebell | prostrate herb rooting at nodes; leaves thick, to 12 mm long; flowers white |
| <u>Oxylobium arborescens</u> | | tall shaggypea | shrub to 6m; leaves to 8cm. edges turned down, dark green above, silky under; pea flowers golden, in |
| Oxylobium ellipticum | | golden shaggypea | shାର୍ଶନାର 2.5m leaves elliptical, grey or rusty below; golden pea flowers clustered at ends of branches |
| <u>Ozothamnus antennaria</u> | е | sticky everlastingbush | shrub to 1.5m; leaves lance-shaped, pale/waxy below, sticky,flowers clustered at ends of branches |
| <u>Ozothamnus hookeri</u> | е | scaly everlastingbush | shrub to 2m; leaves light green/yellow, tirangular, to 2mm, sticky; flowers cream, small, in terminal clusters |
| <u>Pentachondra involucrata</u> | е | forest frillyheath | shrub to 40cm; leaves elliptical to 2cm; flowers white, petals hairy inside, clustered in small groups at ends of branches |
| <u>Pentachondra pumila</u> | | carpet frillyheath | prostrate mat forming shrub; leaves oblong to 4mm long; flowers tubular, white; fruit red |
| <u>Phyllota diffusa</u> | е | heath bushpea | spreading shrub to 20cm tall; leaves cylingrical, linear,tightly rolled under; yellow pea flowers with red markings |
| <u>Pimelea linifolia</u> | | slender riceflower | · · · · · · · · · · · · · · · · · · · |
| <u>Pimelea nivea</u> | е | bushmans bootlace | shrub to 2m; leaves round, dark green, shiny above, white & hairy below; flowers tubular, in spherical |
| Pittosporum bicolor | | cheesewood | ਸਿਛੇਊੈੈੈੈ 8m, conical habit; leaves dark green above, lighter below; flowers bell-shaped, brown & yellow |
| <u>Plantago gunnii</u> | е | bolster plantain | small herb; always grows in cushion plants; leaves ca. 1cm long in a rosette; flowers in a cluster on short |
| <u>Plantago tasmanica</u> | е | tasmanian plantain | Posette herb; leaves thick, hairy; |

| | 1 | _1St |
|---|---|--|
| | common dogwood | shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched |
| е | sage cushionplant | sage of the soft cushion plant; leaves form hexagons with tiny flower at centre |
| | prickly beauty | shrub to 2.5m; leaves to 12mm, sharp pointed; goledn pea flowers at ends of branches |
| | mountain buttercup | perennial prostrate herb of wet subalpine areas, spreads by rooting of stems; flowers single, yellow on stem above rosette |
| | tufted buttercup | rosette herb; leaves erect, divided several times; flowers white/yellow, single |
| е | dwarf buttercup | rosette herb. leaves with three lobes; flowers golden on long stems, to 15mm diam. |
| е | slender candleheath | shrub to 1.2m; leaves narrow, sharp pointed,erect, 14mm long; white flowers at end of branch |
| е | bog candleheath | shrub to 1m; leaves at ends of branches, curved down, to 4cm long, sharp; flowers white |
| е | scoparia | shrub to >1m;leave to 6cm, sharp pointed; flowers in long dense spikes, white/pink/red |
| е | rigid candleheath | shrub to 40cm; leaves to 13cm, sharply pointed; flowers yellow at ends of branches |
| е | alpine raspberry | prostrate alpine herb, spreads by rhizomes; leaves dark green, three serrated leaflets; flowers white on short stalks; fruit red |
| е | mountain fireweed | erect herb to 50cm; leaves green above purple below; flowers, no petals, in groups |
| | common fireweed | perennial herb to 2m; leaves narrow linear; yellow daisy flowers in clusters |
| е | alpine groundsel | herb to 25cm high; leaves lobed; daisy flower heads, solitary, golden yellow, 2.5cm diam |
| | narrowleaf triggerplant | herb to 50cm; leaves narrow, strap-like; flowers pink, four-petalled, in spikes |
| | pink beardheath | erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside |
| | mountain pepper | tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black |
| е | tasmanian waratah | tree to 4m; leaves lance-shaped; flowers red, to 8cm diam; fruit a leathery pod |
| | hairy pinkbells | shrub to 60 cm tall; pink flowers pendulous on stalks |
| | spreading pinkbells | prostrate shrub to 20cm high; leaves narrow, margins rolled under, to 8mm; flowers white to mauve/pink. centres dark purple |
| е | thymeleaf purpleberry | shrub to 1.5m; leaves 2-4mm long, crowded; flowers pink/white in spikes; fruit fleshy, mauve/purple |
| е | shortleaf westringia | shrub to 1m; leaves narrow elliptical, hairy white under, edges rolled down, flowers white/pale lilac, |
| | shrubby | Shhatlikerub; leaves 3-lobed, hairy; flowers tiny, in |
| | , | |
| е | ଗ୍ରୋଗର ଗୁଡ଼ିକାର୍ଯ୍ୟୁହି paperdaisy | ዘርባይዋል 20cm high; leaves 2-5cm long, hairy; daisy flower heads solitary, to 4cm diam, white with yellow |
| е | Grassie paperdaisy fishbone | ଶିମ୍ପୋମିତ 20cm high; leaves 2-5cm long, hairy; daisy |
| е | ଗ୍ରେହୋଟ paperdaisy | ዘዋህዊ 20cm high; leaves 2-5cm long, hairy; daisy flower heads solitary, to 4cm diam, white with yellow |
| | e e e e e | common dogwood sage cushionplant prickly beauty prickly beauty tufted buttercup tufted buttercup dwarf buttercup alender candleheath bog candleheath scoparia rigid candleheath alpine raspberry alpine groundsel alpine groundsel alpine groundsel mountain pepper mountain pepper spreading pink beardheals hairy pinkbells spreading pinkbells thymeleaf thymeleaf shortleaf |

| List | | | |
|---------------------------|---|-------------------|---|
| Polystichum proliferum | | mother shieldfern | note bulbils (new FERN) on fronds |
| Pteridium esculentum | | bracken | common fern to 2.5m tall; leathery much divided frond |
| <u>Astelia alpina</u> | е | pineapple grass | mat-forming plant; leaves to 40cm; flowers pale yellow; fruit a red berry |
| <u>Dianella tasmanica</u> | | forest flaxlily | perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry |



PLANT LIST **Upper Mersey and Forth** Created 12-Jun-13 Updated 10-May-23 APST N-Group, Dick Burns. Descriptions, R Skabo

Goto List



By

GJ Phyllocladus aspleniifolius

celerytop pine conifer tree to 20m; "leaves" diamond shaped, thick, often lobed; female flowers fleshy in groups attached to"leaves", white & red



RS Abrotanella forsteroides

tasmanian cushionplant hard, bright green cushion plant; tiny white flowers protrude



GJ Acacia dealbata

silver wattle tree with grey green feathery leaves; golden flowers





GJ Acacia melanoxylon

blackwood tree to 30m; leaves with parallel veins; round flower heads

RW <u>Acacia mucronata</u> subsp. mucronata caterpillar wattle erect shrub/small tree; leaves narrow linear to 15cm long with short narrow point; yellow flowers in spikes



GJ <u>Acaena montana</u>

mountain buzzy prostrate herb; spherical flower/seed heads with hooks



RS Acaena novae-zelandiae

common buzzy herb; leaves divided; balls of flower/seeds with hooks



GJ Acaena x anserovina

hybrid sheepsburr



GJ Acrothamnus montanus

snow beardheath shrub to 60m; blunt leaves to 10mm; white flowers hairless inside



GJ Allocasuarina monilifera

necklace sheoak shrub to 4m; leaves like tiny teeth aroung joints in neele-like branchlets; fruit, cylindrical cones with pointed ends



GJ <u>Almaleea subumbellata</u>

wiry bushpea shrub to 90 cm; leaves oblong to 8 mm; yellow/orange pea flowers in bunches at ends of stems



GJ Amperea xiphoclada

broom spurge almost leafless with angles stems, forms clumps resembling grass tussock



GJ Aotus ericoides

golden pea shrub to 1.5m; leaves narrow to 12mm long, margins downrolled; yellow pea flower with red throat



GJ Aristotelia peduncularis

heartberry

straggling shrub to 1.5m; leaves to 70mm. lance-shaped, edges serrated; flowers white, bell-shaped,petals three-toothed; fruit heart shaped, white, red or black



GJ <u>Baeckea gunniana</u>

alpine heathmyrtle shrub to 2m; leaves to 5mm, oblong; flowers 5mm diam; white petals, red centre



GJ Banksia marginata

silver banksia tree with typical banksia cones or yellow flower spikes



GJ Bauera rubioides

wiry bauera sprawling wiry shrub; leaves opposite, each with three leaflets; flowers white to pink



RS <u>Bellendena montana</u>

mountain rocket shrub to 1m; leaves to 4cm, variable shape; flowers white in broad spikes; fruit flat, bright red



GJ Blandfordia punicea

christmas bells

lily-like herb; leaves strap-like to 1.5m; flowers tubular, red/orange externally yellow internally to 45mm long



GJ <u>Boronia pilosa</u> subsp. pilosa hairy boronia shrub to 1m; leaves divided with 3-7 leaflets; flowers white to pink with four petals



GJ <u>Bossiaea riparia</u>

leafless bossia leafless shrub with flattened branches; yellow and red pea flowers



GJ Cassinia aculeata

dolly bush shrub to 3 m; large clusters of small white flowers



GJ <u>Coprosma hirtella</u>

coffeeberry shrub to 2m; leaves dark green, leathery to 6cm long,pointed tip; fruit red/black, fleshy



RW <u>Coprosma nitida</u>

mountain currant shrub to 2m; leaves small elliptical; flowers small; fruit spherical, orange/red



RS Coronidium scorpioides

curling everlasting herb with single golden daisy flower heads on long stems

Correa lawrenceana var. lawrenceana mountain correa shrub/small tree to 4m, branches hairy; flowers green/yellow, tubular to 3cm long



GJ Daviesia latifolia

hop bitterpea shrub; broad leaves with obvious venation; gold & brown pea flowers



GJ <u>Epacris gunnii</u>

coral heath shrub to 80 cm; leaves heart shaped, prickly; white tube flowers





GJ Epacris impressa

common heath shrub; white, red or pink tubular flowers with dimples at base

GJ Epacris lanuginosa

swamp heath erect narrow shrub to 1.5m; leaves narrow lance-shaped with sharp point; flowers white, tubular in clusters

Epacris moscaliana

seepage heath shrub to 1.5m high; leaves to 5mm long, ovate, margins thickened; flowers white, tubular



GJ Epacris serpyllifolia

alpine heath shrub to 1 m; blunt leaves to 3 mm long; white tube flowers



GJ Eucalyptus amygdalina

black peppermint tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+

GJ Eucalyptus coccifera



snow peppermint tree 9-30m tall; adult leaves lance-shaped with hooked tip



GJ <u>Eucalyptus delegatensis</u> subsp. tasmaniensis gumtopped stringybark tree to 50m; stringy bark on most of trunk, branches white; leaves asymmetrical.



GJ Eucryphia lucida

leatherwood tree to 12m; leaves green above whitish below, ends blunt; flowers with 4 rounded white petals & numerous reddish stamens



RW Euphrasia striata

shiny striped eyebright perennial herb to 30cm, stems often purple; leaves with toothed ends; flowers white/mauve, lobes with purple lines



RS <u>Ewartia catipes</u>

diamond cushionherb mat-forming rosette herb; leaves woolly white; flower head pink/whte at centre



GJ Exocarpos humifusus

mountain native-cherry prostrate shrub; leaf scales alternate; tiny flowers in groups; fruit dark red



RS Gaultheria hispida

copperleaf snowberry shrub to 1m; leaves dark green, edges serrated; flowers urn shaped, white/pink; fruit white, fleshy



GJ <u>Gaultheria tasmanica</u>

tasmanian waxberry prostrate shrub, forms mat to 30ch diam; leaves to 6mm; flowers white, tubular; fruit red, fleshy, found, flattened,



GJ Goodenia ovata

hop native-primrose shrub to 2m; leaves bright green, to 6cm, edges toothed; flowers yellow with petals in two groups



GJ <u>Grevillea australis</u>

southern grevillea low shrub; leaves narrow sharp-pointed; flowers white



GJ Hakea lissosperma

mountain needlebush small tree to 6m; leaves cylindrical sharply pointed; flowers white; fruit almost round with short beak and warty surface



RS Hibbertia procumbens

spreading guineaflower prostrate shrub spreading to 30cm; leaves to 2cm long, edges rolled under; flowers large, yellow very numerous

GJ <u>Leptospermum glaucescens</u>

smoky teatree upright shrub/tree to 8m; leaves grey-green to 2cm; flowers white with red centres; fruit small, reddish, leathery



RS Leptospermum lanigerum

woolly teatree shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base



RS Leptospermum rupestre

mountain teatree shrub; leaves elliptical, 8 mm long; flowers 5-petalled; fruit woody



GJ Leptospermum scoparium

common teatree

shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody









BC Leucopogon collinus

white beardheath shrub to 50cm; leaves with edges turned down; flowers tiny, tubular, bearded inside, in clusters at ends of branches

GJ Leucopogon pilifer

trailing beardheath shrub to 30cm, branches spreading, hairy; leaves narrow, pointed ends, edges turned up; flowers hairy inside

GJ Liparophyllum gunnii

alpine marshwort small herb often forming submerged patches in subalpine tarns; leaves fleshy; flowers small white

GJ Lomatia tinctoria

guitarplant shrub; divided leaves very variable in form; white flowers





GJ Monotoca empetrifolia

mat broomheath shrub; leaves sharply pointed; flowers white, bell-shaped, 2-3 together

GJ Monotoca submutica

mountain broomheath shrub to 3m; leaves to 12mm, elliptic, apex blunt, green above, white branched veins under; flowers white tubular

GJ Notelaea ligustrina

native olive small tree; leaves lance-shaped to 5cm; small green to purple fruit



RS Nothofagus cunninghamii

myrtle beech tree to 50m; leaves roundish, new growth red; flowers inconspicuous



GJ Olearia erubescens

moth daisybush shrub to 2m; leaves dark green above, lighter below, edges toothed, tips pointed; white daisy flowers, 3-6 "petals"



GJ Olearia phlogopappa

dusty daisybush

shrub to 1.5m; leaves hairy under, margins somewhat toothed; white daisy flowers to 2 cm diam.



RW <u>Olearia pinifolia</u>

prickly daisybush shrub to 3m; leaves rigid, linear, sharp pointed, to 4cm; white daisy flowers on fine stalks, up to 6 "petals"



RS <u>Olearia tasmanica</u>

tasmanian daisybush shrub to 3m; leaves elliptical to 5cm, shiny above, white & hairy below; white daisy flower heads 3 to 5 on single stem



GJ Orites acicularis

yellow orites shrub to 1.5m; leaves cylindrical, yellowish, sharp-pointed; flowers creamy white



GJ Orites revolutus

revolute orites shrub to 2m; leaves rolled into a cylinder; flowers in pairs, white





RS Ourisia integrifolia

mountain whitebell prostrate herb rooting at nodes; leaves thick, to 12 mm long; flowers white

GJ Oxylobium arborescens

tall shaggypea shrub to 6m; leaves to 8cm. edges turned down, dark green above, silky under; pea flowers golden, in clusters



RS <u>Oxylobium ellipticum</u>

golden shaggypea shrub to 2.5m leaves elliptical, grey or rusty below; golden pea flowers clustered at ends of branches



GJ Ozothamnus antennaria

sticky everlastingbush shrub to 1.5m; leaves lance-shaped, pale/waxy below, sticky,flowers clustered at ends of branches



GJ <u>Ozothamnus hookeri</u>

scaly everlastingbush shrub to 2m; leaves light green/yellow, tirangular, to 2mm, sticky; flowers cream, small, in terminal clusters



GJ Pentachondra involucrata

forest frillyheath

shrub to 40cm; leaves elliptical to 2cm; flowers white, petals hairy inside, clustered in small groups at ends of branches



RS Pentachondra pumila

carpet frillyheath prostrate mat forming shrub; leaves oblong to 4mm long; flowers tubular, white; fruit red



GJ Phyllota diffusa

heath bushpea spreading shrub to 20cm tall; leaves cylingrical, linear,tightly rolled under; yellow pea flowers with red markings



GJ <u>Pimelea linifolia</u>

slender riceflower



RW <u>Pimelea nivea</u>

bushmans bootlace shrub to 2m; leaves round, dark green, shiny above, white & hairy below; flowers tubular, in spherical heads





AS Pittosporum bicolor

cheesewood

tree to 8m, conical habit; leaves dark green above, lighter below; flowers bell-shaped, brown & yellow

GJ <u>Plantago gunnii</u>

bolster plantain small herb; always grows in cushion plants; leaves ca. 1cm long in a rosette; flowers in a cluster on short stalk

GJ <u>Plantago tasmanica</u>

tasmanian plantain rosette herb; leaves thick, hairy;



GJ Pomaderris apetala

common dogwood shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched clusters.



GJ <u>Pterygopappus lawrencei</u>

sage cushionplant sage-green soft cushion plant; leaves form hexagons with tiny flower at centre





RW Pultenaea juniperina

prickly beauty

shrub to 2.5m; leaves to 12mm, sharp pointed; goledn pea flowers at ends of branches

GJ Ranunculus collinus

mountain buttercup perennial prostrate herb of wet subalpine areas, spreads by rooting of stems; flowers single, yellow on stem above rosette



RS Ranunculus gunnianus

tufted buttercup rosette herb; leaves erect, divided several times; flowers white/yellow, single



GJ <u>Ranunculus nanus</u>

dwarf buttercup rosette herb. leaves with three lobes; flowers golden on long stems, to 15mm diam.



RS <u>Richea acerosa</u>

slender candleheath shrub to 1.2m; leaves narrow, sharp pointed,erect, 14mm long; white flowers at end of branch



RS <u>Richea gunnii</u>

bog candleheath shrub to 1m; leaves at ends of branches, curved down, to 4cm long, sharp; flowers white



RS <u>Richea scoparia</u>

scoparia shrub to >1m;leave to 6cm, sharp pointed; flowers in long dense spikes, white/pink/red



RS <u>Richea sprengelioides</u>

rigid candleheath shrub to 40cm; leaves to 13cm, sharply pointed; flowers yellow at ends of branches



GJ Rubus gunnianus

alpine raspberry prostrate alpine herb, spreads by rhizomes; leaves dark green, three serrated leaflets; flowers white on short stalks; fruit red



RS <u>Senecio gunnii</u>

mountain fireweed erect herb to 50cm; leaves green above purple below; flowers, no petals, in groups







GJ Senecio linearifolius

common fireweed perennial herb to 2m; leaves narrow linear; yellow daisy flowers in clusters

GJ Senecio pectinatus

alpine groundsel herb to 25cm high; leaves lobed; daisy flower heads, solitary, golden yellow, 2.5cm diam

BC Stylidium graminifolium

narrowleaf triggerplant herb to 50cm; leaves narrow, strap-like; flowers pink, fourpetalled, in spikes

GJ Styphelia ericoides

pink beardheath erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside



RS <u>Tasmannia lanceolata</u>

mountain pepper tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black



GJ <u>Telopea truncata</u>

tasmanian waratah tree to 4m; leaves lance-shaped; flowers red, to 8cm diam; fruit a leathery pod

GJ Tetratheca pilosa

hairy pinkbells shrub to 60 cm tall; pink flowers pendulous on stalks



GJ <u>Tetratheca procumbens</u>

spreading pinkbells prostrate shrub to 20cm high; leaves narrow, margins rolled under, to 8mm; flowers white to mauve/pink. centres dark purple



GJ Trochocarpa thymifolia

thymeleaf purpleberry shrub to 1.5m; leaves 2-4mm long, crowded; flowers pink/white in spikes; fruit fleshy, mauve/purple



GJ Westringia brevifolia

shortleaf westringia shrub to 1m; leaves narrow elliptical, hairy white under, edges rolled down, flowers white/pale lilac, mint-like



GJ Xanthosia ternifolia

shrubby crossherb small shrub; leaves 3-lobed, hairy; flowers tiny, in groups



GJ Xerochrysum collierianum

quartzite paperdaisy herb to 20cm high; leaves 2-5cm long, hairy; daisy flower heads solitary, to 4cm diam, white with yellow centre



GJ <u>Blechnum nudum</u>

fishbone waterfern fronds light green divided only once, fertile fronds different





GJ <u>Blechnum wattsii</u>

hard waterfern fronds dark green, divided only once, fertile fronds different

GJ Dicksonia antarctica

soft treefern Tall fern, trunks to several metres tall

GJ Polystichum proliferum



mother shieldfern note bulbils (new FERN) on fronds



GJ <u>Pteridium esculentum</u> subsp. esculentum bracken common fern to 2.5m tall; leathery much divided frond



GJ Astelia alpina

var. alpina pineapple grass mat-forming plant; leaves to 40cm; flowers pale yellow; fruit a red berry



BC Dianella tasmanica

forest flaxlily perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry