

List



**PLANT LIST**

**Freycinet Peninsula**

Created 13-Jun-13

Updated 25-May-23

By Margaret Allan, Dick Burns, C Howells, R Skabo

[Goto Photos](#)

Scientific name	status	Common Name	Description
<a href="#">Acacia dealbata</a>		silver wattle	tree with grey green feathery leaves; golden flowers
<a href="#">Acacia genistifolia</a>		spreading wattle	shrub; golden flowers in spheres; stiff dagger-like leaves
<a href="#">Acacia longifolia</a>		coastal wattle	dense branched shrub or tree to 5m, bark dark grey, dark on trunk, smooth branches, dense red rod flowers single or in pairs in leaf axils
<a href="#">Acacia mearnsii</a>		black wattle	tree with green feathery leaves; pale golden flowers
<a href="#">Acacia melanoxylon</a>		blackwood	tree to 30m; leaves with parallel veins; round flower heads
<a href="#">Acacia mucronata</a>		caterpillar wattle	shrub/tree to 10m; leaves leathery, narrow, to 15cm; flowers cream/yellow in spikes
<a href="#">Acacia myrtifolia</a>		redstem wattle	shrub to 2m; stems red; leaves to 5cm, leathery, single vein; flowers cream in spherical heads
<a href="#">Acacia suaveolens</a>		sweet wattle	shrub to 2 m; phyllodes blue/green to 15 cm; flowers round, cream, in axils, sweet scented.
<a href="#">Acacia terminalis</a>		sunshine wattle	shrub to 4m high; leaves feathery; flowers in bunches of spherical heads
<a href="#">Acacia verticillata</a>		prickly moses	shrub 50cm to 6m high; leaves in whorls, narrow pungent pointed, to 2cm long; flowers in cylindrical pale yellow oval spikes
<a href="#">Acacia verticillata</a>		prickly moses	shrub 50cm to 6m high; leaves in whorls, narrow pungent pointed, to 12mm long; flowers in cylindrical yellow spikes
<a href="#">Acaena novae-zelandiae</a>		common buzzy	herb; leaves divided; balls of flower/seeds with hooks
<a href="#">Acrotriche serrulata</a>		ants delight	dark green low shrub; prickly leaves; flowers underneath
<a href="#">Actites megalocarpus</a>		dune thistle	perennial herb to 60cm; leaves in basal rosette; leaves to 15cm, lobed, prickly; yellow daisy flowers
<a href="#">Allocasuarina littoralis</a>		black sheoak	tree; fruit like small pine cones; segmented needle-like "leaves"
<a href="#">Allocasuarina monilifera</a>	e	necklace sheoak	shrub to 4m; leaves like tiny teeth around joints in neele-like branchlets; fruit, cylindrical cones with pointed ends
<a href="#">Allocasuarina verticillata</a>		drooping sheoak	tree with "leaves" hanging down or drooping
<a href="#">Almaleea subumbellata</a>		wiry bushpea	shrub to 90 cm; leaves oblong to 8 mm; yellow/orange pea flowers in bunches at ends of stems

## List

<a href="#"><i>Aotus ericoides</i></a>		golden pea	shrub to 1.5m; leaves narrow to 12mm long, margins downrolled; yellow pea flower with red throat
<a href="#"><i>Argentipallium dealbatum</i></a>		white everlasting	herb to 25cm; leaves elliptic, dark green above, white hairy under; flower buds red, flowers single, white, papery
<a href="#"><i>Atriplex cinerea</i></a>		grey saltbush	shrub to 1.5m high; leaves white/grey, scaly, oblong to 6cm long; flowers unisexual, in dense clusters
<a href="#"><i>Banksia marginata</i></a>		silver banksia	tree with typical banksia cones or yellow flower spikes
<a href="#"><i>Bauera rubioides</i></a>		wiry bauera	sprawling wiry shrub; leaves opposite, each with three leaflets; flowers white to pink
<a href="#"><i>Bedfordia salicina</i></a>	e	tasmanian blanketleaf	shrub/tree to 5m; leaves dark green above silver hairy below; yellow daisy flowers in groups
<a href="#"><i>Boronia anemonifolia</i></a>		stinky boronia	shrub to 2m high; leaves dark green, with 3 leaflets, to 1.5cm long; flowers 4-petalled, white/pink
<a href="#"><i>Boronia parviflora</i></a>		swamp boronia	prostrate or dwarf shrub; leaves to 2 cm; flowers small with 4 pointed petals.
<a href="#"><i>Bossiaea cinerea</i></a>		showy bossia	shrub with gold/brown pea flowers
<a href="#"><i>Brachyloma ciliatum</i></a>		fringed heath	shrub, wiry to 30cm high; leaves oblong to ovate, pungent pointed, to 10mm long; flowers solitary, white, tubular with hairs at throat
<a href="#"><i>Bulbine bulbosa</i></a>		golden bulbine-lily	herb; soft hollow leaves tufted at base; spike of 6-petalled yellow flowers, has a tuber
<a href="#"><i>Burchardia umbellata</i></a>		milkmaids	herb; leaves grass-like; white 6-petalled flowers with maroon centres
<a href="#"><i>Cakile edentula</i></a>	i	american searocket	annual herb to 60 cm growing on beaches; leaves 3-6 cm long; flowers with 4 white/pink/mauve petals.
<a href="#"><i>Caladenia carnea</i></a>		pink fingers	herb to 25 cm; single narrow narrow; 1 to 6 showy pink flowers
<a href="#"><i>Callitris oblonga</i></a>	e	south esk pine	Narrow tree to 5m, blue-green leaves to 1mm in whorls of 3, pear shaped female cones 1cm, with 3 large and 3 small scales
<a href="#"><i>Callitris rhomboidea</i></a>		oyster bay pine	Narrow tree to 6m, green leaves to 2-5mm in whorls of 3, pear shaped female cones 2cm, with 6 pointed scales of sililar size
<a href="#"><i>Calytrix tetragona</i></a>		common fringemyrtle	shrub; star-like white flowers
<a href="#"><i>Carpobrotus rossii</i></a>		native pigface	herb, prostrate, spreading; leaves fleshy, triangular x-section; flowers large, pink/purple, white centres
<a href="#"><i>Cassytha melantha</i></a>		large dodderlaurel	"monkey twine", parasitic on other plants
<a href="#"><i>Cassytha pubescens</i></a>		downy dodderlaurel	parasitic twiner; appears leafless; flowers small, white, crowded in groups/spikes
<a href="#"><i>Centella cordifolia</i></a>		swampwort	prostrate marsh herb; leaves almost circular; flowers small, pink in clusters on short stalks
<a href="#"><i>Chrysocephalum apiculat</i></a>		common everlasting	perennial herb to 50cm; stem & leaves densely hairy; golden daisy flowers in clusters

## List

<a href="#"><i>Clematis microphylla</i></a>	small-leaf clematis	climber to 3m high; leaves twice divided, leaflets to 3cm long; flowers 4 "petalled", cream
<a href="#"><i>Comesperma volubile</i></a>	blue lovecreeper	wiry climber; small leaves; blue flowers along stems
<a href="#"><i>Conospermum hookeri</i></a>	e tasmanian smokebush	ozothamnus-like bush, distinctive white flowers
<a href="#"><i>Coprosma quadrifida</i></a>	native currant	erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange
<a href="#"><i>Coronidium scorpioides</i></a>	curling everlasting	herb with single golden daisy flower heads on long stems
<a href="#"><i>Correa alba</i></a>	white correa	coastal shrub/tree to 3 m; leaves green/grey, oval to round, hairy, to 4 cm; flowers white, starry, with curved petals and prominent stamens.
<a href="#"><i>Correa backhouseana</i></a>	velvet correa	Dense shrub to 2m, oval tough stalked leaves, 2.5cm tube flowers cream to pale green with 4 flared pointed petals. Found on W and S coast
<a href="#"><i>Correa reflexa</i></a>	common correa	shrub, variable from prostrate to 3 m; leaves to 5 cm, reflexed with indented veins; flowers tubular, pendant, greenish.
<a href="#"><i>Corybas incurvus</i></a>	slaty helmet-orchid	small orchid; leaf heart-shaped, green below; flower dark purple with white central patch and a fringe of short teeth
<a href="#"><i>Daviesia ulicifolia</i></a>	yellow spiky bitterpea	prickly woody shrub to 2 m; leaves spiky to 3 cm; yellow pea flowers with reddish markings.
<a href="#"><i>Dichondra repens</i></a>	kidneyweed	creeping herb, forming patches; kidney shaped leaves; tiny green/white flowers
<a href="#"><i>Dillwynia glaberrima</i></a>	smooth parrotpea	slender shrub to 90cm; leaves hairless, narrow cylindrical; golden pea flowers
<a href="#"><i>Dillwynia sericea</i></a>	showy parrotpea	shrub to 60cm high; leaves cylindrical, to 2cm long, grooved on upper surface; pea flowers orange/yellow, very broad
<a href="#"><i>Diplarrena moraea</i></a>	white flag-iris	strap-like leaves; white flowers
<a href="#"><i>Dipodium roseum</i></a>	rosy hyacinth-orchid	leafless red/brown stem to 80 cm; numerous showy pink flowers
<a href="#"><i>Disphyma crassifolium</i></a>	roundleaf pigface	fleshy, perennial, prostrate herb; leaves circular in x-section; flowers pink/white, 3-4cm diam
<a href="#"><i>Dockrillia striolata</i></a>	rock orchid	lithophyte forms compact clumps leaves terete straight or curved shallowly grooved green or reddish flowers 1-3 upside down greenish to brownish yellow or bright yellow racemes to 20mm
<a href="#"><i>Dodonaea viscosa</i></a>	native hop	shrub/small tree to 6m high; leaves glossy, oblong, to 6cm long; flowers small, yellow; fruit 3-winged, green to reddish
<a href="#"><i>Drosera binata</i></a>	forked sundew	herb; leaves forked, on long stem, blades with glistening hairs; flowers white, to 2cm diam, in groups of up to 40
<a href="#"><i>Drosera gunniana</i></a>	pale sundew	erect herb to 30cm high; leaves at base round on stem crescent shaped, fringed with glistening hairs; flowers white or pink

## List

<a href="#"><i>Drosera macrantha</i></a>		climbing sundew	herb; fine stem with round leaves fringed with glistening hairs
<a href="#"><i>Drosera pygmaea</i></a>		dwarf sundew	tiny carnivorous herb; leaves round, fringed with hairs, in basal rosette; tiny single white flower
<a href="#"><i>Drosera spatulata</i></a>		ray sundew	herb; leaves in a rosette, red, appressed to ground; flowers white in 1 or 2 groups of several flowers
<a href="#"><i>Epacris impressa</i></a>		common heath	shrub; white, red or pink tubular flowers with dimples at base
<a href="#"><i>Epacris lanuginosa</i></a>		swamp heath	erect narrow shrub to 1.5m; leaves narrow lance-shaped with sharp point; flowers white, tubular in clusters
<a href="#"><i>Epacris obtusifolia</i></a>		bluntleaf heath	shrub to 1m high; leaves to 10mm long, elliptical, blunt, appressed to stem; flowers white/cream, tubular
<a href="#"><i>Epacris tasmanica</i></a>		eastern heath	erect woody bush to 2m, shiny rounded and pointed leaves, single white 5-petalled tubular flowers in the axils towards top of stems
<a href="#"><i>Eucalyptus amygdalina</i></a>	e	black peppermint	tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+
<a href="#"><i>Eucalyptus globulus</i></a>		tasmanian bluegum	tree to 70m high, trunk rough at base, smooth, greyish/white above; leaves lance-shaped to 30cm long; fruit large, ribbed
<a href="#"><i>Eucalyptus obliqua</i></a>		stringybark	tree to 90m; trunk & branches covered in soft, ridged bark; leaves very unsymmetrical;
<a href="#"><i>Eucalyptus ovata</i></a>		black gum	large gum tree; rough grey bark; oval leaves
<a href="#"><i>Eucalyptus pulchella</i></a>		white peppermint	Small tree to 20m, smooth white-grey bark, very narrow leaves 5-10cm, 5mm buds in clusters up to 18, nuts with valves level with rim
<a href="#"><i>Eucalyptus tenuiramis</i></a>		silver peppermint	tree to 25 m with smooth bark; leaves blue/green; buds 7-15+
<a href="#"><i>Euryomyrtus ramosissima</i></a>		rosy heathmyrtle	shrub to 50cm; leaves linear to 10mm; flowers ca 10mm diam, 5 white/pink petals
<a href="#"><i>Exocarpos cupressiformis</i></a>		common native-cherry	tree; conifer-like foliage; edible orange coloured fruit
<a href="#"><i>Glossodia major</i></a>		waxlip orchid	herb to 30 cm; single hairy leaf; 1 or 2 large purple/mauve flowers
<a href="#"><i>Glycine clandestina</i></a>		twining glycine	climber with trifoliolate leaves & purple flowers
<a href="#"><i>Gompholobium huegelii</i></a>		common wedgepea	herb; pea flower yellow inside and blackish outside
<a href="#"><i>Gonocarpus teucrioides</i></a>		forest raspwort	perennial herb to 60 cm; leaves oval and rough to touch; flowers on leafy spikes with petals often fallen.
<a href="#"><i>Goodenia lanata</i></a>		trailing native-primrose	prostrate herb; leaves to 7cm, dark green above lighter below; flowers golden, asymmetric on long stem
<a href="#"><i>Goodenia ovata</i></a>		hop native-primrose	shrub to 2m; leaves bright green, to 6cm, edges toothed; flowers yellow with petals in two groups
<a href="#"><i>Goodia lotifolia</i></a>		smooth goldentip	shrub to 4m high; leaves with 3 leaflets;
<a href="#"><i>Hakea epiglottis</i></a>	e	beaked needlebush	shrub to 3 m; leaves cylindrical with upward curve and sharp point; flowers cream/yellow; fruit 'S' shaped.



## List

<a href="#"><i>Hakea lissosperma</i></a>	mountain needlebush	small tree to 6m; leaves cylindrical sharply pointed; flowers white; fruit almost round with short beak and warty surface
<a href="#"><i>Hakea microcarpa</i></a>	smallfruit needlebush	sharp needle-like leaves, white flowers, small woody fruits
<a href="#"><i>Hakea teretifolia</i></a>	dagger hakea	Woody shrub to 4m, rigid, cylindrical leaves sharply pointed, scented white spider-flowers, dagger shaped fruit with sharp warts at base
<a href="#"><i>Hibbertia empetrifolia</i></a>	scrambling guineaflower	shrub, scrambling to 2m high; leaves elliptic, to 8mm long, hairy; flowers yellow, 6mm diam, petals with notched tips
<a href="#"><i>Hibbertia prostrata</i></a>	prostrate guineaflower	yellow symmetric five-petal flowers; narrow leaves
<a href="#"><i>Hibbertia riparia</i></a>	erect guineaflower	shrub; narrow leaves; golden 5-petalled flowers
<a href="#"><i>Hovea heterophylla</i></a>	winter purplepea	small shrub; dark green leaves; violet pea flowers
<a href="#"><i>Indigofera australis</i></a>	native indigo	shrub to 1.5m high; leaves feather-like, to 10 leaflets; pea flowers pink/mauve, crowded along branches
<a href="#"><i>Kennedia prostrata</i></a>	running postman	herb; prostrate & sprawling; leaves with 3 leaflets; crimson pea flower
<a href="#"><i>Kunzea ambigua</i></a>	white kunzea	shrub to 4m; masses of white flowers; leaves narrow, tufted
<a href="#"><i>Lasiopetalum macrophyll</i></a>	shrubby velvetbush	shrub to 2m high; leaves ovate to 10cm long, rusty hairs along veins, white/green under; flowers small, white, in pendant clusters
<a href="#"><i>Leptomeria drupacea</i></a>	erect currantbush	Much branched shrub to 2 m; leaves are tiny scales on stem; flowers very small, cream; fruit fleshy, reddish.
<a href="#"><i>Leptospermum glaucesce</i></a>	smoky teatree	upright shrub/tree to 8m; leaves grey-green to 2cm; flowers white with red centres; fruit small, reddish, leathery
<a href="#"><i>Leptospermum grandiflori</i></a>	autumn teatree	large shrub to 5 m; leaves grey/green; flowers large white about 3 cm across.
<a href="#"><i>Leptospermum lanigerum</i></a>	woolly teatree	shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base
<a href="#"><i>Leptospermum scopariur</i></a>	common teatree	shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody
<a href="#"><i>Leucopogon collinus</i></a>	white beardheath	shrub to 50cm; leaves with edges turned down; flowers tiny, tubular, bearded inside, in clusters at ends of branches
<a href="#"><i>Leucopogon parviflorus</i></a>	coast beardheath	shrub to 3m; leaves to 3cm, blunt pointed, margins rolled down; flowers white, tubular, bearded inside
<a href="#"><i>Leucopogon virgatus</i></a>	common beard- heath	shrub to 1 m; small white flowers; petals woolly above
<a href="#"><i>Lobelia anceps</i></a>	angled lobelia	perennial herb, prostrate, scrambling; stem with flattened ridges; flowers small, blue, two-lipped
<a href="#"><i>Lomandra longifolia</i></a>	sagg	tussock of strap-like leaves with notched ends; flowers in spiny clusters

## List

<a href="#"><i>Lomatia tinctoria</i></a>	e	guitarplant	shrub; divided leaves very variable in form; white flowers
<a href="#"><i>Melaleuca gibbosa</i></a>		slender honeymyrtle	shrub to 3m; leaves crowded, to 6mm; flowers mauve/pink bottle brushes to 3cm long
<a href="#"><i>Melaleuca squamea</i></a>		swamp honeymyrtle	shrub to 3m; leaves to 8mm, hairy; flowers mauve/white in terminal globular heads
<a href="#"><i>Melaleuca squarrosa</i></a>		scented paperbark	shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers yellow/cream in terminal bottle brushes
<a href="#"><i>Monotoca elliptica</i></a>		tree broomheath	Shrub to 5m; leaves slight-convex, oblong to 25mm, dark green above white below; flowers white tubular in clusters towards branch ends
<a href="#"><i>Monotoca glauca</i></a>		goldey wood	shrub to 3m; leaves to 10mm, sharp points; flowers white, 5 petalled, in small groups
<a href="#"><i>Olearia ciliata</i></a>		fringed daisybush	shrub to 40 cm; narrow leaves; solitary white to mauve flowers on long stem
<a href="#"><i>Olearia lirata</i></a>		forest daisybush	shrub to 5m; numerous white daisy flowers at ends of branches
<a href="#"><i>Olearia ramulosa</i></a>		twiggy daisybush	shrub to 2 m; leaves small with rolled edges; flowers white, numerous with 6-10 ray florets.
<a href="#"><i>Ornduffia reniformis</i></a>		running marshflower	fleshy herb in water or on wet mud; leaves kidney-shaped to 10cm across; flowers bright yellow, 2-4cm diam, in groups
<a href="#"><i>Ozothamnus obcordatus</i></a>		yellow everlastingbush	Shrub .5-1.5m, heart-shaper alternate leaves, glossy on top, hairy below, terminal tight clusters of yellow flowers massed in spring
<a href="#"><i>Ozothamnus reticulatus</i></a>	e	veined everlastingbush	open shrub to 3 m; leaves linear to 6 cm with depressed vein; small white daisy flowers in dense heads to 6 cm across.
<a href="#"><i>Patersonia fragilis</i></a>		short purpleflag	densely tufted herb; leaves narrow, flat, to 40cm long; flowers purple, 3-petaled, on stems shorter than the leaves
<a href="#"><i>Pelargonium australe</i></a>		southern storksbill	herb growing in rock crevices; leaves kidney-shaped; flowers pink/white
<a href="#"><i>Pentachondra involucrata</i></a>	e	forest frillyheath	shrub to 40cm; leaves elliptical to 2cm; flowers white, petals hairy inside, clustered in small groups at ends of branches
<a href="#"><i>Persoonia juniperina</i></a>		prickly geebung	shrub; to 1.5 m tall; light green prickly leaves; delicate golden flowers
<a href="#"><i>Philothea verrucosa</i></a>		fairy waxflower	shrub; branches warty; profusion of white star-like flowers
<a href="#"><i>Philothea virgata</i></a>		twiggy waxflower	shrub to 2m; stems warty; leaves narrow oblong to 2cm; flowers white star-shaped, 4-5 petals
<a href="#"><i>Phyllanthus gunnii</i></a>		shrubby spurge	shrub to 3m; new stems red; leaves round; flowers small, white/green, 5 petals, in clusters
<a href="#"><i>Pimelea flava</i></a>		yellow riceflower	Slender shrub ro 1m, elliptical opposite leaves with prominent mid-vein on short stem, yellow flowers in erect terminal clusters, lime bracts
<a href="#"><i>Pimelea glauca</i></a>		smooth riceflower	Branched shrub to 80cm, blue-green hairless opposite leaves on hairless stem, white tube flowers in terminal heads with 4 bracts wider than leaves. Does not sucker

## List

<a href="#"><i>Pimelea humilis</i></a>	dwarf riceflower	dwarf shrub to 20cm tall; white flowers grouped in terminal heads
<a href="#"><i>Plantago triantha</i></a>	saltspray plantain	rosette herb; leaves thick to 4 cm long with 1-2 pairs blunt teeth
<a href="#"><i>Platylobium obtusangulum</i></a>	common flatpea	shrub to 1 m tall; triangular leaves; yellow pea flowers
<a href="#"><i>Platylobium triangulare</i></a>	arrow flatpea	scrambling shrub; leaves triangular with sharp tips; flowers orange/yellow pea with bracts that don't conceal the stem.
<a href="#"><i>Pomaderris apetala</i></a>		shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched clusters.
<a href="#"><i>Pomaderris elliptica</i></a>	yellow dogwood	shrub/tree to 8 m; leaves to 10 cm, smooth, rusty under; flowers yellow, clustered.
<i>Pomaderris elliptica</i>	dogwood	Shrub/tree to 10m, ovate leaves - tops veins indented, below hairy and veins prominent, cream flowers in branching cymes, no petals
<a href="#"><i>Pteridium esculentum</i></a>	<i>bracken</i>	common fern to 2.5m tall; leathery much divided frond
<a href="#"><i>Pterostylis nutans</i></a>	nodding greenhood	orchid with single green nodding flower on stem to 30cm
<a href="#"><i>Pultenaea daphnoides</i></a>	heartleaf bushpea	woody shrub to 2.5 m; leaves wedge-shaped with sharp point at end of central vein; golden pea flowers in terminal heads.
<a href="#"><i>Pultenaea dentata</i></a>	swamp bushpea	shrub to 90cm tall; leaves to 10mm long, crowded near ends of branches; yellow, pea flowers in small terminal bunches
<a href="#"><i>Pultenaea gunnii</i></a>		shrub to 1.5m high, branches hairy; leaves to 2cm long; linear to elliptical; yellow pea flowers in terminal heads
<a href="#"><i>Pultenaea juniperina</i></a>	prickly beauty	shrub to 2.5m; leaves to 12mm, sharp pointed; golden pea flowers at ends of branches
<a href="#"><i>Pultenaea tenuifolia</i></a>	slender bushpea	prostrate shrub; leaves to 8mm long, narrow with upper channel; yellow/red pea flowers, solitary, near branch ends
<a href="#"><i>Rhagodia candolleana</i></a>	coastal saltbush	scrambling shrub to 2 m; leaves fleshy, oval to arrow shaped; flowers terminal clusters followed by flat dark red fruits.
<a href="#"><i>Rhytidosporum procumbe</i></a>	starry appleberry	dwarf shrub to 10 cm; leaves crowded, stalkless, dark green; flowers starry with 5 white petals
<a href="#"><i>Scaevola hookeri</i></a>	creeping fanflower	herb, spreading, prostrate; leaves variable, ovate, hairy; flowers white, hairy outside, petals winged
<a href="#"><i>Senecio hispidulus</i></a>	rough fireweed	herb to 1.25m; leaf with rough upper surface; small flower heads without "petals"
<a href="#"><i>Senecio linearifolius</i></a>	common fireweed	perennial herb to 2m; leaves narrow linear; yellow daisy flowers in clusters
<a href="#"><i>Senecio minimus</i></a>	shrubby fireweed	perennial herb to 1.2m high; leaves vble, toothed, lower ones broader, lanceolate, to 15cm long; flower heads without "petals", yellow, numerous

## List

<a href="#"><i>Solanum laciniatum</i></a>	kangaroo apple	shrub; lobed leaves; large purple flowers; yellow/orange fruit
<a href="#"><i>Sphaerolobium minus</i></a>	eastern globepea	leafless wiry herb to 75 cm; yellow pea flowers crowded at upper end of stems.
<a href="#"><i>Spinifex sericeus</i></a>	beach spinifex	perennial grass, with long, prostrate, creeping stems; male flowers in hemispherical heads; female flowers in large spherical, spiky heads
<a href="#"><i>Sprengelia incarnata</i></a>	pink swampheath	erect shrub to 2m; leaves hard, pointed, sheathing stem; flowers pink/white, in terminal clusters
<a href="#"><i>Stackhousia monogyna</i></a>	forest candles	herb to 50cm. several erect stems; leaves narrow; flowers white tubular in dense spikes at ends of stems.
<a href="#"><i>Stenanthemum pimeleoid</i></a>	propeller plant	shrub; prostrate; tiny flowers surrounded by three white bracts
<a href="#"><i>Stylidium graminifolium</i></a>	narrowleaf triggerplant	herb to 50cm; leaves narrow, strap-like; flowers pink, four-petalled, in spikes
<a href="#"><i>Styphelia adscendens</i></a>	golden heath	prostrate shrub to 50cm; leaves to 3cm, pointed, edges hairy; flowers tubular, yellow/green, hairy inside
<a href="#"><i>Styphelia ericoides</i></a>	pink beardheath	erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside
<a href="#"><i>Styphelia humifusa</i></a>	native cranberry	ground cover; prickly leaves; red tube flowers in winter
<a href="#"><i>Tetragonia implexicoma</i></a>	bower spinach	sprawling undershrub; leaves diamond shaped, succulent to 4 cm; flowers yellow with 4 petals, on long stems.
<a href="#"><i>Tetratheca pilosa</i></a>	hairy pinkbells	shrub to 60 cm tall; pink flowers pendulous on stalks
<a href="#"><i>Trachymene composita</i></a>		herb to 1.2m high, stems grooved; leaves divided, hairy under; flowers numerous in flat-topped groups on hairy stalks
<a href="#"><i>Viola hederacea</i></a>	ivyleaf violet	herb; perennial, spreading; kidney shaped leaves; violet flowers on stalks
<a href="#"><i>Xanthorrhoea australis</i></a>	southern grasstree	Stem to 3m, may be branched, tuft of long, 3mm, angular sectioned leaves, yellow-brown flowers in spike standing up to 2.5, above leaves
<a href="#"><i>Xanthosia ternifolia</i></a>	shrubby crossherb	small shrub; leaves 3-lobed, hairy; flowers tiny, in groups
<a href="#"><i>Xanthosia tridentata</i></a>	hill crossherb	shrub to 30cm high; leaves 6-15mm long, apex 3-notched; flowers in groups of 1-3
<a href="#"><i>Zieria littoralis</i></a>	downy zieria	Grey shrub 30cm to 1m, trifoliate leaves, soft with deep central indent, white or pink flowers with 4 petals in clusters on stalks from leaf axils



## PLANT LIST Freycinet Peninsula

Created 13-Jun-13  
Updated 25-May-23  
By Margaret Allan, Dick Burns, C Howells, R Skabo

[Goto List](#)



GJ [\*Acacia dealbata\*](#)

silver wattle  
tree with grey green feathery leaves; golden flowers



GJ [\*Acacia genistifolia\*](#)

spreading wattle  
shrub; golden flowers in spheres; stiff dagger-like leaves



AS [\*Acacia longifolia\*](#)

subsp. *sophorae*  
coastal wattle  
dense branched shrub or tree to 5m, bark dark grey, dark on trunk, smooth branches, dense red rod flowers single or in pairs in leaf axils



RW [Acacia mearnsii](#)

black wattle  
tree with green feathery leaves; pale golden flowers



GJ [Acacia melanoxydon](#)

blackwood  
tree to 30m; leaves with parallel veins; round flower heads



RW [Acacia mucronata](#)

caterpillar wattle  
shrub/tree to 10m; leaves leathery, narrow, to 15cm; flowers cream/yellow in spikes



GJ [Acacia myrtifolia](#)

redstem wattle  
shrub to 2m; stems red; leaves to 5cm, leathery, single vein; flowers cream in spherical heads



GJ [Acacia suaveolens](#)

sweet wattle  
shrub to 2m; phyllodes blue/green to 15cm; flowers round, cream, in axils, sweet scented.





GJ *Acacia terminalis*

sunshine wattle  
shrub to 4m high; leaves feathery; flowers in bunches of spherical heads

*Acacia verticillata*

subsp. ovoidea  
prickly moses  
shrub 50cm to 6m high; leaves in whorls, narrow pungent pointed, to 2cm long; flowers in cylindrical pale yellow oval spikes



GJ *Acacia verticillata*

subsp. verticillata  
prickly moses  
shrub 50cm to 6m high; leaves in whorls, narrow pungent pointed, to 12mm long; flowers in cylindrical yellow spikes



RS *Acaena novae-zelandiae*

common buzzy  
herb; leaves divided; balls of flower/seeds with hooks



GJ *Acrotriche serrulata*

ants delight  
dark green low shrub; prickly leaves; flowers underneath



GJ [\*Actites megalocarpus\*](#)

dune thistle

perennial herb to 60cm; leaves in basal rosette; leaves to 15cm, lobed, prickly; yellow daisy flowers



RS? [\*Allocasuarina littoralis\*](#)

black sheoak

tree; fruit like small pine cones; segmented needle-like "leaves"



GJ [\*Allocasuarina monilifera\*](#)

necklace sheoak

shrub to 4m; leaves like tiny teeth around joints in neele-like branchlets; fruit, cylindrical cones with pointed ends



GJ [\*Allocasuarina verticillata\*](#)

drooping sheoak

tree with "leaves" hanging down or drooping



GJ [\*Almaleea subumbellata\*](#)


wiry bushpea

shrub to 90 cm; leaves oblong to 8 mm; yellow/orange pea flowers in bunches at ends of stems




GJ [\*Aotus ericoides\*](#)

golden pea  
shrub to 1.5m; leaves narrow to 12mm long, margins downrolled; yellow pea flower with red throat



GJ [\*Argentipallium dealbatum\*](#)

white everlasting  
herb to 25cm; leaves elliptic, dark green above, white hairy under; flower buds red, flowers single, white, papery



GJ [\*Atriplex cinerea\*](#)

grey saltbush  
shrub to 1.5m high; leaves white/grey, scaly, oblong to 6cm long; flowers unisexual, in dense clusters



GJ [\*Banksia marginata\*](#)

silver banksia  
tree with typical banksia cones or yellow flower spikes



GJ [\*Bauera rubioides\*](#)

wiry bauera  
sprawling wiry shrub; leaves opposite, each with three leaflets; flowers white to pink





GJ [\*Bedfordia salicina\*](#)

tasmanian blanketleaf  
shrub/tree to 5m; leaves dark green above silver hairy below;  
yellow daisy flowers in groups



GJ [\*Boronia anemonifolia\*](#)

stinky boronia  
shrub to 2m high; leaves dark green, with 3 leaflets, to 1.5cm  
long; flowers 4-petalled, white/pink



GJ [\*Boronia parviflora\*](#)

swamp boronia  
prostrate or dwarf shrub; leaves to 2 cm; flowers small with 4  
pointed petals.



GJ [\*Bossiaea cinerea\*](#)

showy bossia  
shrub with gold/brown pea flowers



GJ [\*Brachyloma ciliatum\*](#)

fringed heath  
shrub, wiry to 30cm high; leaves oblong to ovate, pungent  
pointed, to 10mm long; flowers solitary, white, tubular with  
hairs at throat



GJ *Bulbine bulbosa*

golden bulbine-lily  
herb; soft hollow leaves tufted at base; spike of 6-petalled yellow flowers, has a tuber



GJ *Burchardia umbellata*

milkmaids  
herb; leaves grass-like; white 6-petalled flowers with maroon centres



GJ *Cakile edentula*

american searocket  
annual herb to 60 cm growing on beaches; leaves 3-6 cm long; flowers with 4 white/pink/mauve petals.



JC *Caladenia carnea*

pink fingers  
herb to 25 cm; single narrow narrow; 1 to 6 showy pink flowers



GJ *Callitris oblonga*

subsp. oblonga  
south esk pine  
Narrow tree to 5m, blue-green leaves to 1mm in whorls of 3, pear shaped female cones 1cm, with 3 large and 3 small scales



GJ [Callitris rhomboidea](#)

oyster bay pine

Narrow tree to 6m, green leaves to 2-5mm in whorls of 3, pear shaped female cones 2cm, with 6 pointed scales of similar size



BC [Calytrix tetragona](#)

common fringemyrtle

shrub; star-like white flowers



GJ [Carpobrotus rossii](#)

native pigface

herb, prostrate, spreading; leaves fleshy, triangular x-section; flowers large, pink/purple, white centres



GJ [Cassytha melantha](#)

large dodderlaurel

"monkey twine", parasitic on other plants




GJ [Cassytha pubescens](#)

downy dodderlaurel

parasitic twiner; appears leafless; flowers small, white, crowded in groups/spikes





GJ [\*Centella cordifolia\*](#)

swampwort  
prostrate marsh herb; leaves almost circular; flowers small,  
pink in clusters on short stalks



GJ [\*Chrysocephalum apiculatum\*](#)

common everlasting  
perennial herb to 50cm; stem & leaves densely hairy; golden  
daisy flowers in clusters



GJ [\*Clematis microphylla\*](#)

small-leaf clematis  
climber to 3m high; leaves twice divided, leaflets to 3cm long;  
flowers 4 "petalled", cream




GJ [\*Comesperma volubile\*](#)

blue lovecreeper  
wiry climber; small leaves; blue flowers along stems



GJ [\*Conospermum hookeri\*](#)

tasmanian smokebush  
ozothamnus-like bush, distinctive white flowers



GJ *Coprosma quadrifida*

native currant  
erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange



RS *Coronidium scorpioides*

curling everlasting  
herb with single golden daisy flower heads on long stems



AS *Correa alba*

var. alba  
white correa  
coastal shrub/tree to 3 m; leaves green/grey, oval to round, hairy, to 4 cm; flowers white, starry, with curved petals and prominent stamens.



GJ *Correa backhouseana*

var. backhouseana  
velvet correa  
Dense shrub to 2m, oval tough stalked leaves, 2.5cm tube flowers cream to pale green with 4 flared pointed petals.  
Found on W and S coast



GJ *Correa reflexa*

var. reflexa  
common correa  
shrub, variable from prostrate to 3 m; leaves to 5 cm, reflexed with indented veins; flowers tubular, pendant, greenish.



GJ *Corybas incurvus*

slaty helmet-orchid  
small orchid; leaf heart-shaped, green below; flower dark purple with white central patch and a fringe of short teeth



RW *Daviesia ulicifolia*

yellow spiky bitterpea  
prickly woody shrub to 2 m; leaves spiky to 3 cm; yellow pea flowers with reddish markings.



GJ *Dichondra repens*

kidneyweed  
creeping herb, forming patches; kidney shaped leaves; tiny green/white flowers



GJ *Dillwynia glaberrima*

smooth parrotpea  
slender shrub to 90cm; leaves hairless, narrow cylindrical; golden pea flowers



GJ *Dillwynia sericea*

showy parrotpea  
shrub to 60cm high; leaves cylindrical, to 2cm long, grooved on upper surface; pea flowers orange/yellow, very broad





GJ *Diplarrena moraea*

white flag-iris  
strap-like leaves; white flowers



GJ *Dipodium roseum*

rosy hyacinth-orchid  
leafless red/brown stem to 80 cm; numerous showy pink flowers



AS *Disphyma crassifolium*

subsp. clavellatum  
roundleaf pigface  
fleshy, perennial, prostrate herb; leaves circular in x-section;  
flowers pink/white, 3-4cm diam



JC *Dockrillia striolata*

rock orchid  
lithophyte forms compact clumps leaves terete straight or curved shallowly grooved green or reddish flowers 1-3 upside down greenish to brownish yellow or bright yellow racemes to 20mm



gj *Dodonaea viscosa*

subsp. spatulata  
native hop  
shrub/small tree to 6m high; leaves glossy, oblong, to 6cm long; flowers small, yellow; fruit 3-winged, green to reddish



GJ *Drosera binata*

forked sundew

herb; leaves forked, on long stem, blades with glistening hairs; flowers white, to 2cm diam, in groups of up to 40



GJ *Drosera gunniana*

pale sundew

erect herb to 30cm high; leaves at base round on stem crescent shaped, fringed with glistening hairs; flowers white or pink



DW *Drosera macrantha*

subsp. planchonii

climbing sundew

herb; fine stem with round leaves fringed with glistening hairs



GJ *Drosera pygmaea*

dwarf sundew

tiny carnivorous herb; leaves round, fringed with hairs, in basal rosette; tiny single white flower



GJ *Drosera spatulata*

ray sundew

herb; leaves in a rosette, red, appressed to ground; flowers white in 1 or 2 groups of several flowers



GJ [Epacris impressa](#)

common heath  
shrub; white, red or pink tubular flowers with dimples at base



GJ [Epacris lanuginosa](#)

swamp heath  
erect narrow shrub to 1.5m; leaves narrow lance-shaped with sharp point; flowers white, tubular in clusters



GJ [Epacris obtusifolia](#)

bluntleaf heath  
shrub to 1m high; leaves to 10mm long, elliptical, blunt, appressed to stem; flowers white/cream, tubular



GJ [Epacris tasmanica](#)

eastern heath  
erect woody bush to 2m, shiny rounded and pointed leaves, single white 5-petalled tubular flowers in the axils towards top of stems



GJ [Eucalyptus amygdalina](#)

black peppermint  
tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+





GJ *Eucalyptus globulus*

tasmanian bluegum

tree to 70m high, trunk rough at base, smooth, greyish/white above; leaves lance-shaped to 30cm long; fruit large, ribbed



GJ *Eucalyptus obliqua*

stringybark

tree to 90m; trunk & branches covered in soft, ridged bark; leaves very unsymmetrical;



GJ *Eucalyptus ovata*

var. ovata

black gum

large gum tree; rough grey bark; oval leaves



GJ *Eucalyptus pulchella*

white peppermint

Small tree to 20m, smooth white-grey bark, very narrow leaves 5-10cm, 5mm buds in clusters up to 18, nuts with valves level with rim



RW *Eucalyptus tenuiramis*

silver peppermint

tree to 25 m with smooth bark; leaves blue/green; buds 7-15+



GJ *Euryomyrtus ramosissima*

rosy heathmyrtle  
shrub to 50cm; leaves linear to 10mm; flowers ca 10mm diam,  
5 white/pink petals



GJ *Exocarpos cupressiformis*

common native-cherry  
tree; conifer-like foliage; edible orange coloured fruit



GJ *Glossodia major*

waxlip orchid  
herb to 30 cm; single hairy leaf; 1 or 2 large purple/mauve  
flowers



GJ *Glycine clandestina*

twining glycine  
climber with trifoliate leaves & purple flowers



BC *Gompholobium huegelii*

common wedgepea  
herb; pea flower yellow inside and blackish outside



GW [\*Gonocarpus teucrioides\*](#)

forest raspwort  
perennial herb to 60 cm; leaves oval and rough to touch;  
flowers on leafy spikes with petals often fallen.



RS [\*Goodenia lanata\*](#)

trailing native-primrose  
prostrate herb; leaves to 7cm, dark green above lighter below;  
flowers golden, asymmetric on long stem



GJ [\*Goodenia ovata\*](#)

hop native-primrose  
shrub to 2m; leaves bright green, to 6cm, edges toothed;  
flowers yellow with petals in two groups



GJ [\*Goodia lotifolia\*](#)

smooth goldentip  
shrub to 4m high; leaves with 3 leaflets;



GJ [\*Hakea epiglottis\*](#)

subsp. epiglottis  
beaked needlebush  
shrub to 3 m; leaves cylindrical with upward curve and sharp  
point; flowers cream/yellow; fruit 'S' shaped.



GJ [Hakea lissosperma](#)

mountain needlebush  
small tree to 6m; leaves cylindrical sharply pointed; flowers white; fruit almost round with short beak and warty surface



GJ [Hakea microcarpa](#)

smallfruit needlebush  
sharp needle-like leaves, white flowers, small woody fruits



GJ [Hakea teretifolia](#)

subsp. *hirsula*  
dagger hakea  
Woody shrub to 4m, rigid, cylindrical leaves sharply pointed, scented white spider-flowers, dagger shaped fruit with sharp warts at base



GJ [Hibbertia empetrifolia](#)

scrambling guineaflower  
shrub, scrambling to 2m high; leaves elliptic, to 8mm long, hairy; flowers yellow, 6mm diam, petals with notched tips



GJ [Hibbertia prostrata](#)

prostrate guineaflower  
yellow symmetric five-petal flowers; narrow leaves





BC [\*Hibbertia riparia\*](#)

erect guineaflower  
shrub; narrow leaves; golden 5-petalled flowers



GJ [\*Hovea heterophylla\*](#)

winter purplepea  
small shrub; dark green leaves; violet pea flowers



RW [\*Indigofera australis\*](#)

native indigo  
shrub to 1.5m high; leaves feather-like, to 10 leaflets; pea  
flowers pink/mauve, crowded along branches




GJ [\*Kennedia prostrata\*](#)

running postman  
herb; prostrate & sprawling; leaves with 3 leaflets; crimson pea  
flower



GJ [\*Kunzea ambigua\*](#)

white kunzea  
shrub to 4m; masses of white flowers; leaves narrow, tufted



GJ [\*Lasiopetalum macrophyllum\*](#)

shrubby velvetbush  
shrub to 2m high; leaves ovate to 10cm long, rusty hairs along veins, white/green under; flowers small, white, in pendant clusters



GJ [\*Leptomeria drupacea\*](#)

erect currantbush  
Much branched shrub to 2 m; leaves are tiny scales on stem; flowers very small, cream; fruit fleshy, reddish.



GJ [\*Leptospermum glaucescens\*](#)

smoky teatree  
upright shrub/tree to 8m; leaves grey-green to 2cm; flowers white with red centres; fruit small, reddish, leathery



GJ [\*Leptospermum grandiflorum\*](#)

autumn teatree  
large shrub to 5 m; leaves grey/green; flowers large white about 3 cm across.



RS [\*Leptospermum lanigerum\*](#)

woolly teatree  
shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base





GJ [\*Leptospermum scoparium\*](#)

common teatree  
shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody



BC [\*Leucopogon collinus\*](#)

white beardheath  
shrub to 50cm; leaves with edges turned down; flowers tiny, tubular, bearded inside, in clusters at ends of branches



GJ [\*Leucopogon parviflorus\*](#)

coast beardheath  
shrub to 3m; leaves to 3cm, blunt pointed, margins rolled down; flowers white, tubular, bearded inside



BC [\*Leucopogon virgatus\*](#)

common beard-heath  
shrub to 1 m; small white flowers; petals woolly above



GJ [\*Lobelia anceps\*](#)

angled lobelia  
perennial herb, prostrate, scrambling; stem with flattened ridges; flowers small, blue, two-lipped



GJ [\*Lomandra longifolia\*](#)

sagg  
tussock of strap-like leaves with notched ends; flowers in spiny clusters



GJ [\*Lomatia tinctoria\*](#)

guitarplant  
shrub; divided leaves very variable in form; white flowers



GJ [\*Melaleuca gibbosa\*](#)

slender honeymyrtle  
shrub to 3m; leaves crowded, to 6mm; flowers mauve/pink  
bottle brushes to 3cm long



GJ [\*Melaleuca squamea\*](#)

swamp honeymyrtle  
shrub to 3m; leaves to 8mm, hairy; flowers mauve/white in  
terminal globular heads



GJ [\*Melaleuca squarrosa\*](#)

scented paperbark  
shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers  
yellow/cream in terminal bottle brushes



GJ *Monotoca elliptica*

tree broomheath

Shrub to 5m; leaves slight-convex, oblong to 25mm, dark green above white below; flowers white tubular in clusters towards branch ends



RW *Monotoca glauca*

goldey wood

shrub to 3m; leaves to 10mm, sharp points; flowers white, 5 petalled, in small groups



GJ *Olearia ciliata*

fringed daisybush

shrub to 40 cm; narrow leaves; solitary white to mauve flowers on long stem



GJ *Olearia lirata*

forest daisybush

shrub to 5m; numerous white daisy flowers at ends of branches



GJ *Olearia ramulosa*

twiggy daisybush

shrub to 2 m; leaves small with rolled edges; flowers white, numerous with 6-10 ray florets.





GJ *Ornduffia reniformis*

running marshflower  
fleshy herb in water or on wet mud; leaves kidney-shaped to 10cm across; flowers bright yellow, 2-4cm diam, in groups



GJ *Ozothamnus obcordatus*

yellow everlastingbush  
Shrub .5-1.5m, heart-shaper alternate leaves, glossy on top, hairy below, terminal tight clusters of yellow flowers massed in spring



GJ *Ozothamnus reticulatus*

veined everlastingbush  
open shrub to 3 m; leaves linear to 6 cm with depressed vein; small white daisy flowers in dense heads to 6 cm across.



GJ *Patersonia fragilis*

short purpleflag  
densely tufted herb; leaves narrow, flat, to 40cm long; flowers purple, 3-petaled, on stems shorter than the leaves



GJ *Pelargonium australe*

southern storksbill  
herb growing in rock crevices; leaves kidney-shaped; flowers pink/white



GJ [\*Pentachondra involucreta\*](#)

forest frillyheath  
shrub to 40cm; leaves elliptical to 2cm; flowers white, petals hairy inside, clustered in small groups at ends of branches



GJ [\*Persoonia juniperina\*](#)

prickly geebung  
shrub; to 1.5 m tall; light green prickly leaves; delicate golden flowers



GJ [\*Philothea verrucosa\*](#)

fairy waxflower  
shrub; branches warty; profusion of white star-like flowers



GJ [\*Philothea virgata\*](#)

twiggly waxflower  
shrub to 2m; stems warty; leaves narrow oblong to 2cm; flowers white star-shaped, 4-5 petals



GJ [\*Phyllanthus gunnii\*](#)

shrubby spurge  
shrub to 3m; new stems red; leaves round; flowers small, white/green, 5 petals, in clusters



GJ *Pimelea flava*

yellow riceflower

Slender shrub ro 1m, elliptical opposite leaves with prominent mid-vein on short stem, yellow flowers in erect terminal clusters, lime bracts



GJ *Pimelea glauca*

smooth riceflower

Branched shrub to 80cm, blue-green hairless opposite leaves on hairless stem, white tube flowers in terminal heads with 4 bracts wider than leaves. Does not sucker



GJ *Pimelea humilis*

dwarf riceflower

dwarf shrub to 20cm tall; white flowers grouped in terminal heads



RW *Plantago triantha*

saltspray plantain

rosette herb; leaves thick to 4 cm long with 1-2 pairs blunt teeth



GJ *Platylobium obtusangulum*

common flatpea

shrub to 1 m tall; triangular leaves; yellow pear flowers





GJ *Platylobium triangulare*

arrow flatpea  
scrambling shrub; leaves triangular with sharp tips; flowers orange/yellow pea with bracts that don't conceal the stem.



GJ *Pomaderris apetala*

subsp. *apetala*

shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched clusters.



GJ *Pomaderris elliptica*

yellow dogwood  
shrub/tree to 8 m; leaves to 10 cm, smooth, rusty under; flowers yellow, clustered.

*Pomaderris elliptica*

var. *diemenica*

dogwood

Shrub/tree to 10m, ovate leaves - tops veins indented, below hairy and veins prominent, cream flowers in branching cymes, no petals



GJ *Pteridium esculentum*

subsp. *esculentum*

bracken

common fern to 2.5m tall; leathery much divided frond



GJ *Pterostylis nutans*

nodding greenhood  
orchid with single green nodding flower on stem to 30cm



GJ *Pultenaea daphnoides*

heartleaf bushpea  
woody shrub to 2.5 m; leaves wedge-shaped with sharp point at end of central vein; golden pea flowers in terminal heads.



GJ *Pultenaea dentata*

swamp bushpea  
shrub to 90cm tall; leaves to 10mm long, crowded near ends of branches; yellow, pea flowers in small terminal bunches



GJ *Pultenaea gunnii*  
subsp. gunnii

shrub to 1.5m high, branches hairy; leaves to 2cm long; linear to elliptical; yellow pea flowers in terminal heads




RW *Pultenaea juniperina*

prickly beauty  
shrub to 2.5m; leaves to 12mm, sharp pointed; golden pea flowers at ends of branches



GJ [\*Pultenaea tenuifolia\*](#)

slender bushpea  
prostrate shrub; leaves to 8mm long, narrow with upper channel; yellow/red pea flowers, solitary, near branch ends



GJ [\*Rhagodia candolleana\*](#)

subsp. *candolleana*  
coastal saltbush  
scrambling shrub to 2 m; leaves fleshy, oval to arrow shaped; flowers terminal clusters followed by flat dark red fruits.



RW [\*Rhytidosporum procumbens\*](#)

starry appleberry  
dwarf shrub to 10 cm; leaves crowded, stalkless, dark green; flowers starry with 5 white petals



GJ [\*Scaevola hookeri\*](#)

creeping fanflower  
herb, spreading, prostrate; leaves variable, ovate, hairy; flowers white, hairy outside, petals winged



GJ [\*Senecio hispidulus\*](#)

rough fireweed  
herb to 1.25m; leaf with rough upper surface; small flower heads without "petals"



GJ [Senecio linearifolius](#)

common fireweed  
perennial herb to 2m; leaves narrow linear; yellow daisy  
flowers in clusters



GJ [Senecio minimus](#)

shrubby fireweed  
perennial herb to 1.2m high; leaves vble, toothed, lower ones  
broader, lanceolate, to 15cm long; flower heads without  
"petals", yellow, numerous



GJ [Solanum laciniatum](#)

kangaroo apple  
shrub; lobed leaves; large purple flowers; yellow/orange fruit



GJ [Sphaerolobium minus](#)

eastern globepea  
leafless wiry herb to 75 cm; yellow pea flowers crowded at  
upper end of stems.



GJ [Spinifex sericeus](#)

beach spinifex  
perennial grass, with long, prostrate, creeping stems; male  
flowers in hemispherical heads; female flowers in large  
spherical, spiky heads





GJ *Sprengelia incarnata*

pink swampheath  
erect shrub to 2m; leaves hard, pointed, sheathing stem;  
flowers pink/white, in terminal clusters



GJ *Stackhousia monogyna*

forest candles  
herb to 50cm. several erect stems; leaves narrow; flowers  
white tubular in dense spikes at ends of stems.



GJ *Stenanthemum pimeleoides*

propeller plant  
shrub; prostrate; tiny flowers surrounded by three white bracts



BC *Stylidium graminifolium*

narrowleaf triggerplant  
herb to 50cm; leaves narrow, strap-like; flowers pink, four-  
petalled, in spikes



GJ *Styphelia adscendens*

golden heath  
prostrate shrub to 50cm; leaves to 3cm, pointed, edges hairy;  
flowers tubular, yellow/green, hairy inside




GJ *Styphelia ericoides*

pink beardheath  
erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside



GJ *Styphelia humifusa*

native cranberry  
ground cover; prickly leaves; red tube flowers in winter



GJ *Tetragonia implexicoma*

bower spinach  
sprawling undershrub; leaves diamond shaped, succulent to 4 cm; flowers yellow with 4 petals, on long stems.



GJ *Tetratheca pilosa*

hairy pinkbells  
shrub to 60 cm tall; pink flowers pendulous on stalks



GJ *Trachymene composita*  
var. composita

herb to 1.2m high, stems grooved; leaves divided, hairy under;  
flowers numerous in flat-topped groups on hairy stalks



GJ [\*Viola hederacea\*](#)

ivyleaf violet  
herb; perennial, spreading; kidney shaped leaves; violet  
flowers on stalks



GJ [\*Xanthorrhoea australis\*](#)

southern grasstree  
Stem to 3m, may be branched, tuft of long, 3mm, angular  
sectioned leaves, yellow-brown flowers in spike standing up to  
2.5, above leaves



GJ [\*Xanthosia ternifolia\*](#)

shrubby crossherb  
small shrub; leaves 3-lobed, hairy; flowers tiny, in groups



GJ [\*Xanthosia tridentata\*](#)

hill crossherb  
shrub to 30cm high; leaves 6-15mm long, apex 3-notched;  
flowers in groups of 1-3



GJ [\*Zieria littoralis\*](#)

downy zieria  
Grey shrub 30cm to 1m, trifoliate leaves, soft with deep central  
indent, white or pink flowers with 4 petals in clusters on stalks  
from leaf axils